UC-NRLF
B 3 371 872
QL
545
S6
V.2

Ex-libris
Charles Atwood
Kofoid

Price TWOPENCE.

SOUTH KENSINGTON MUSEUM

# SCIENCE HANDBOOKS.

*BRANCH MUSEUM, BETHNAL GREEN.*




DC OF

PA RA.

*Published for the Committee of Council on Education*

BY

CHAPMAN AND HALL, 193, PICCADILLY.

QL 545
S6
v.2
Bul.
1-6

# CATALOGUE

OF

# MR. DOUBLEDAY'S COLLECTIONS OF LEPIDOPTERA,

DEPOSITED IN THE

## BETHNAL GREEN BRANCH OF THE SOUTH KENSINGTON MUSEUM.

## EUROPEAN COLLECTION.

NOTE.—This Collection was left by Mr. Doubleday in separate boxes, in which it was not arranged either according to his own system, or apparently on any determined general system. In transferring it to cabinets for better preservation, it has been thought best to arrange it in the order which is now most generally adopted by European Lepidopterists—viz., that followed by Stäudinger in his List. With a few exceptions, which are noted as they occur, this has been done with the genera and families, and in the generic determination of species, but in other respects the species stand in the order in which Doubleday left them.

The Collection is in fine condition; but, as in all large collections, there are occasional damaged specimens. These have been noted where the damage is important, but minor flaws, such as the absence of a leg or single antenna, have not been specified.

The following abbreviations refer to the numbers of individuals of each species, *viz.*:—*sp.* means *specimens*; *m.* means *male*; *f.* means *female*; *h.* means *hermaphrodite*; *r.* (for reversed) means *under side exposed*; when nothing is said it is to be understood that the upper side is exposed.

## FIRST CABINET.

### 1st Drawer.

### RHOPALOCERA.

PAPILIONIDÆ.

PAPILIO, *L.*

machaon, *L.*, Corsica, 1 *sp.*
do., *var.* sphyrus, *Hub.*, Sicily, 1 *sp.*
hospiton, *Gené*, Corsica, 7 *sp.*
alexanor, *Es.*, Eastern Pyrenees, 6 *sp.* (2 *of a very yellow type*).
podalirius, *L.*, Central France, 3 *sp.*
do., Greece, 2 *sp.*
do., *var.* feisthamelii, *Dup.*, Spain, 5 *sp.*
do., *var.*, zanclæus, *Zell.*, Southern France, 1 *sp.*

THAIS, *Fab.*

rumina, *L.*, Spain, 4 *sp.* (1 *r.*)
do., *var.*, medesicaste, *L.*, Southern France, 11 *sp.* (2 *r.*)
polyxena, *W. V.* (hypsipyle, *Fab.*), Hungary, 11 *sp.* (2 *r.*)
do., *var.* cassandra, *H.*, Southern 4 *sp.* 1 (*r.*)
cerisyi, *God.*, Caucasus, 2 *sp.*
do., Turkey, 3 *sp.*, (2 *m. and* 1 *f.*)

DORITIS, *O.*

apollinus, *Ht.*, Turkey, 5 *sp.* (1 *var. with under wing of a rosy tinge.*)

PARNASSIUS, *Lat.*

intermedius, *Men.*, Russia, 1 *sp.*
do., Russia, 2 *sp.*
apollo, *L.*, Russia, 2 *very large sp.*
do., Swiss Alps, 3 *sp.*
delius, *Es.* (phœbus, *H.*), Switzerland, 5 *sp.* (1 *r.*)
clarius, *E.*, North of Russia, 2 *sp.* (1 *m. and* 1 *f.*)
mnemosyne, *L.*, Switzerland, 6 *sp.*
stubbendorfii, *Men.* (*var.* immaculatus, *Men.*), North of Russia, 2 *sp.*

PIERIDÆ.

APORIA, *H.*

cratægi, *L.*, Sicily, 2 *sp.* (1 *m. and* 1 *f.*)

PIERIS, *Sk.*

brassicæ, *L.*, Pyrenees (1 *f. dark marks very large*).
rapæ, *L.*, Eastern Pyrenees, 2 *sp.* (1 *m. and* 1 *f.*)
do., Greece (æstival brood), 2 *sp.* (1 *m. and* 1 *f.*)
do., Greece (vernal brood), 4 *sp.* (2 *m., paler, and* 2 *f., yellower than the æstival brood.*)
ergane, *H.*, Greece, 8 *sp.* (4 *m.* 3 *f. and* 1 *var. r.*)



M369064

PIERIS—*continued.*

napi, *L.*, France, 2 *sp.* (1 *r.*)
do., *f. var.* bryoniæ, *God.*, Alps, 8 *sp.* (*very brown and yellow.*)

**2nd Drawer.**

mannii, *Mayer*, Greece, 6 *sp.* (4 *m.* 2 *f.*, 1 *small.*)
kreuperi, *S.*, *var.* Greece? 1 *sp.*
do., *type*, Greece, 2 *sp.*
callidice, *Es.*, Swiss Alps, 6 *sp.* (2 *m.* 3 *f.* 1 *m. r.*)
chloridice, *Fisch.*, Turkey, 2 *sp.* (1 *m. and* 1 *f.*)
do., S. of Russia, 3 *sp.* (1 *m.* 1 *f.* 1 *r.*)
daplidice, *L.*, Greece, 2 *sp.* (1 *m.* 1 *f.*)
do., Paris, 7 *sp.* (3 *m.* 3 *f.* 1 *r.*)
do., *var.*, bellidice, *O.*, South France, 5 *sp.* (2 *m.* 2 *f.* 1 *r.*)

ANTHOCHARIS, *Bd.*

tagis, *H.*, Andalusia, 2 *sp.* (1 *r.*)
do., Corsica, 2 *sp.*
do., *var.* bellezina, Southern France, 4 *sp.* (1 *r.*)
belia, *Es.*, Spain, 7 *sp.* (1 *r.*)
do., Greece, 2 *sp.*
do., *var.*, ausonia, *H.*, Spain, 5 *sp.* (1 *r.*)
ausonia, *Esp.*, Caucasus, 1 *sp.*
do., *var.* simplonia, *Fr.*, Switzerland, 3 *sp.*
bellemia, *Es.*, Spain, 2 *sp.* (1 *r.*)
do., *var.* glauce, *H.*, Andalusia, 5 *sp.* (1 *r.*)
cardamines, *L.*, Berlin, 2 *sp.* (2 *m.*)
do., Sicily, 2 *sp.* (1 *m.* 1 *f.*)
douei, *Pier*, Algeria, 2 *sp.* (1 *m.* 1 *f.* *r.*)
gruneri, *H.S.*, Greece, 3 *sp.* (2 *m.* 1 *f.*)
damone, *Bd.*, Greece, 2 *sp.* (1 *m.* 1 *f.*)
eupheno, *L.*, Southern France, 7 *sp.* (4 *m.* 1 *f.* 1 *m. r.* 1 *f. r.*)

ZEGRIS, *R.*

eupheme, *Es.*, South of Russia, 6 *sp.* (3 *m.* 2 *f. and* 1 *m. r.*)

LEUCOPHASIA, *S.*

lathyri, *Hb.*, Southern France, 8 *sp.* (2 *r.*)
do.? 1 *f. r.*
sinapis, *L.*, vernal brood, Corsica, 7 *sp.* (1 *r.*)

LEUCOPHASIA—*continued.*

sinapis, autumnal brood, Corsica, 3 *sp.* (1 *m.* 2 *f.*)
do., *var.* diniensis, *Bdv.*, Spain, 2 *sp.* (1 *m.* 1 *f.*)

RHODOCERIDÆ.

COLIAS, *F.*

philomene, *Es.*, Swiss Alps, 6 *sp.* (3 *m.* 3 *f.*)
nastes, *Bdv.*, Polar Norway, 5 *sp.* (3 *m.* 2 *f.*)
melinos, *Ev.* (werdandi, *H.S.*), Lapland 7 *f.* (1 *r.*)
palæno, *L.*, Swiss Alps, 8 *sp.* (4 *m.* 3 *f.* 1 *r.*)
do. (*var.* werdandi, *H.S.*), Swiss Alps, 3 *sp. f.*
do. (*var.* philomene, *Hb.*), Lapland, 2 *sp. f.*
pelidne, *Bdv.*, Polar Norway, 2 *sp.* (1 *r.*)
erate, *Es.*, South of Russia, 7 *sp.* (3 *m.* 4 *f. of which* 1 *pale var.*, 1 *without antennæ.*)
chrysodona, *Aind.*, S. of Russia, 1 *sp.*
chrysotheme, *Esp.*, Hungary, 8 *sp.* (4 *m.* 4 *f.*)
myrmidone, *Esp.*, Hungary, 9 *sp.* (5 *m.* 4 *f.*)
aurorina, *H.S.*, Caucasus, 4 *sp.* (3 *m.* 1 *f. pale.*)
aurora, *F.*, North of Russia, 1 *sp.*
edusa, *F.*, Germany, 2 *sp.* (1 *m.* 1 *f.*)
do., Paris, 2 *sp.* (1 *m.* 1 *f.*)
do., Greece, 2 *sp.* (1 *m.* 1 *f.*)
do., Corsica, 3 *sp.* (2 *m.* 1 *f.*)
do., Mount Hermon, 3 *sp.* (1 *m.* 2 *f.*, *of which* 1 *pale.*)
libanotica, *Led.* (heldreichi, *Haw.*), Greece, 2 *sp.* (1 *m.* 1 *f.*)
hecla, *Le* (Boothii, *Bd. non Curt.*), Lapland, 6 *sp.* (5 *m.* 1 *f.*)
boothii, *Curt.*, Polar Regions, 2 *sp.* (1 *m.* 1 *f.*)
hyale, *L.*, France, 4 *sp.* (2 *m.* 2 *f.*)
fausta, *Oliv.*, (*gen.* Idmais, *Bd.*), Turkey, 3 *sp.* (2 *m.* 1 *f.*)

GONEPTERYX, *Lt.*, RHODOCERA, *B.*

rhamni. *L.*, Central France, 2 *sp.* (1 *m.* 1 *f.*)
do ? Greece, 2 *sp.* (2 *m.*)
do., *var.*, farinosa, *Zell.*, Turkey, *sp.* (1 *m.* 1 *f.*)

GONEPTERYX—*continued.*

cleopatra, *L.*, Greece, 2 *sp.*
do., Spain, 4 *sp.* (1 *r.*)

**3rd Drawer.**

## LYCÆNIDÆ.

THECLA, *F.*

rubi, *L.*, Corsica, 3 *sp.* (1 *r.*)
acaciæ, *F.*, France, 8 *sp.* (4 *m.* 3 *f.* 1 *r.*)
ledereri, *H.S.*, S. of Russia, 4 *sp.* (2 *m.* 2 *f.*)
w.-album, *Kh.*, Paris, 2 *sp.* (*f.*)
pruni, *L.*, Central France, 3 *sp.* (2 *m.* 1 *f.*)
betulæ, *L.*, Bavaria, 2 *sp.* (1 *m.* 1 *f.*)
spini, *W.V.*, France, 8 *sp.* (4 *m.* 3 *f. and* 1 *r.*)
ilicis, *Es.*, (linceus, *F.*), France, 9 *sp.* (4 *m.* 4 *f. and* 1 *r.*)
do., *var.*, esculi, *H.*, France, 3 *sp.* (1 *m.* 1 *f. and* 1 *r.*)
abdominalis, *Gerh.*, Turkey, 1 *sp.*
roboris, *Es.* (evippus, *H.*), France, 5 *sp.* (3 *m.* 2 *f.*)
quercus, *L.*, France, 2 *sp.* (1 *m.* 1 *f.*)

THESTOR, *H.*

ballus, *F.*, Spain, 6 *sp.* (2 *m.* 3 *f.* 1 *r.*)

CHRYSOPHANUS, *H.*

hippothoe, *L.*, France, 4 *sp.* (2 *m.* 2 *f.*)
do., Piedmont, 2 *sp.* (1 *m.* 1 *f.*)
ochimus, *H.S.*, Turkey, 5 *sp.* (4 *m.* 1 *f.*)
asabinus, *H.S.*, Turkey, 2 *sp.* (1 *m.* 1 *f.*)
ignitus, *H.S.*, Greece, 5 *sp.* (3 *m.* 2 *f.*)
ottomanus, *Lef.*, Turkey, 2 *sp.* (1 *m.* 1 *f.*)
virgaureæ, *L.*, *var.* miegii, *Vog.*, Spain, 6 *sp.* (3 *m.* 3 *f.*)
do., *var.*, Eastern Pyrenees, 1 *sp.* (*m.*)
do., French Alps, 13 *sp.* (7 *m.* 5 *f.* 1 *r.*, 1 *f. damaged.*)
thersamon, *Es.*, Hungary, 8 *sp.* (3 *m.* 4 *f.* 1 *r.*, 2 *damaged*, 1 *m. headless.*)
do., *var.* omphale, *Klug.*, 2 *sp.* (*f.* 1 *damaged.*)
candens, *Bisch.*, Turkey, 2 *sp.* (1 *m.* 1 *f.*)

CHRYSOPHANUS—*continued.*

chryseis, *F.*, France, 11 *sp.* (7 *m.* 3 *f.* 1 *r.*)
do., *F.*, Lapland, 1 *sp.*
do., *var.* Swiss Alps, 2 *sp.* (*r.*)
eurydice, *H.* (eurybia, *Och.*), 7 *sp.* (4 *m.* 2 *f.* 1 *r.*)
alciphron, *Rg.* (hipponoë, *E.*), France, 10 *sp.* (6 *m.* 3 *f.* 1 *r.*, 1 *f. damaged.*)
helle, *H.*, Germany, 8 *sp.* (4 *m.* 3 *f.* 1 *r.*)
gordius, *Es.*, Eastern Pyrenees, 12 *sp.* (5 *m.* 5 *f.* 2 *r.*)
dorilis, *Hf.* (circe, *W.V.*, xanthe, *F.*), Ratisbon, 12 *sp.* (5 *m.* 5 *f.* 2 *r.*)
phlæas, *L.*, Sicily, 7 *sp.* ( *of which* 4 *are var.* eleus, *Fab.*)

CIGARITES, *Luc.*

acamas, *Kl.*, 1 *sp.* (*dilapidated.*)
cilissa, *Ld.*, 3 *sp.* (1 *r.*)

LYCÆNA, *L.*

bœtica, *L.*, Central France, 10 *sp.* (3 *m.* 5 *f. and* 2 *r.*)
telicanus, *Hb.*, Malaga, 2 *sp.* (*m. f.*)
do., Spain, 7 *sp.* (3 *m.* 3 *f.* 1 *r.*, *no body.*)
do., unnamed, 1 *sp.*
do., *var.* polysperchon, *O.*, Spain, 3 *sp.*
tiresias, *Rott.* (amyntas, *W.V.*), France, 11 *sp.* (6 *m.* 4 *f.* 1 *r.*)
theophrastus, *F.* (psittacus, *Luc.*), Turkey, 7 *sp.* (4 *m.* 1 *f.* 2 *r.*)
fischeri, *Ev.*, Russia, 3 *sp.* (1 *r.*)
trochylus, *Fr.*, 6 *sp.* (1 *r.*, *one broken.*)
unnamed (perhaps *var.* of ægon), Southern France, 1 *sp.*
ægon, *W.V.*, France, 6 *sp.* (1 *r.*)
do., *var.*, Corsica, 7 *sp.* (2 *m.* 2 *f.* 3 *r.*)
argus, *L.*, Paris, 10 *sp.* (4 *m.* 4 *f.* 2 *r.*)
do., *var.* calliopis, *Bdv.*, French Alps 1 *sp.* (*r.*)
do., *var.* hypochiona, *Ramb.*, Andalusia, 2 *sp.* (1 *m.* 1 *f.*)
do., *var.* ægidion, *Meissn.*, Swiss Alps, 3 *sp.* (1 *r. and damaged.*)
do. ? Lapland, 3 *sp.* (1 *m.* 1 *f.* 1 *r.*)
optilete, *Kh.*, Berlin, 7 *sp.* (3 *m.* 3 *f.* 1 *r.*)
loewii, *Zell.*, Caucasus, 3 *sp.* (2 *m.* 1 *f.*)

LYCÆNA—*continued.*

bavius, *Ev.*, Caucasus, 3 *sp.* (2 *m.* 1 *f.*)
rhymnus, *Ev.*, South of Russia, 1 *sp.*
zephyrus, *Kind.*, Russia, 5 *sp.* (3 *m.* 2 *f.*)
idas, *Rb.*, Spain, 2 *sp.* (*antennæ of both and body of one gone.*)
eurypilus, *Frr.*, Caucasus, 2 *sp.* (1 *m.* 1 *f.*)
battus, *H.*, Ratisbon, 10 *sp.* (5 *m.* 3 *f.* 2 *r.*)
panoptes, *H.*, Spain, 8 *sp.* (5 *m.* 3 *f.*)
hylus, *W.V.*, Paris, 9 *sp.* (5 *m.* 3 *f.* 1 *r.*)
panagæa, Russia, 3 *sp.*
lysimon, *H.*, Spain, 4 *sp.* (3 *m.* 1 *f.*)
erschoffii, *Led.*, Turkey, 2 *sp.*
pheretes, *H.*, Norway, 9 *sp.* (4 *m.* 4 *f.* 1 *r.*)
orbitulus, *Esp.*, Swiss Alps, 9 *sp.* (4 *m.* 3 *f.* 2 *r.*)
do., *var.* pyrenaica, *B.*, Pyrenees, 2 *sp.* (1 *m.* 1 *f.*)
do., *var.* dardanus, *Fr.*, Russia, 4 *sp.* (3 *m.* 1 *f.*)
aquilo, *Bdv.*, Polar Norway, 3 *sp.*
agestis, *Esp.*, *var.* allous, *Hb.*, Swiss Alps, 3 *sp.*
do., *var.* ? Greece, 2 *sp.* (*both slightly damaged.*)
christophi, 1 *sp.*
pylaon, *Fisch.*, 4 *sp.* (3 *m.* 1 *f.*)
eros, *O.*, Alps, 8 *sp.* (6 *m.* 1 *f.* 1 *r.*)
do., *var.* eroides, *Friv.* (boisduvalii, *H.S.*), S. of Russia, 5 *sp.* (4 *m.* 1 *f.*)
do., Poland, 2 *sp.* (1 *m.* 1 *f.*)
do., *var.* candalus, *H.S.*, Turkey, 2 *sp.* (*m.*)
icarus, *Rott.* (alexis, *W.V.*), Paris, 5 *sp.* (2 *m.* 1 *f.* 2 *r.*)
adonis, *W.V.*, Northern France, 2 *sp.* (1 *m.* 1 *f.*)
do., Corsica, 2 *sp.* (1 *f.* 1 *r. damaged.*)

**4th Drawer.**

do., *var.* ceronus, *Hb.*, Southern France, 6 *sp.* (1 *m.* 5 *f.*)
cœlestina, *E.*, South of Russia, 5 *sp.* (3 *m.* 2 *f.*)
actis, *Kad.*, Turkey, 2 *sp.* (1 *m.* 1 *f.*, *body gone.*)
argiolus, *L.*, Corsica, 2 *sp.* (1 *m.* 1 *f.*)

LYCÆNA—*continued.*

cyllarus, *Rott.*, Corsica, 11 *sp.* (6 *m.* 4 *f.* 1 *r.*)
melanops, *Bd.*, Southern France, 8 *sp.* (5 *m.* 3 *f.*)
do., large *var.*, French Alps, 4 *sp.* (3 *m.* 1 *f.*)
corydon, *Esp.*, France, 8 *sp.* (3 *m.* 4 *f.* 1 *r.*)
do., *var.* albicans, *Bd.*, Alps, 8 *sp.*
polona, *Zell.*, Caucasus, 2 *sp.*, (1 *body gone.*)
lefebvrei, *G.* (dolus, *H.*), Southern France, 8 *sp.* (4 *m.* 2 *f.* 2 *r.*)
epidolus, *Bdv.*, Turkey, 6 *sp.* (4 *m.* 1 *f.* 1 *r.*, 3 *damaged.*)
ripartii, *Fr.*, Spain, 5 *sp.*
damocles, *H.S.* (damone, *E.*), Russia, 4 *sp.* (2 *m.* 1 *f.* 1 *r.*)
anteros, *Kind.*, South of Russia, 4 *sp.* (3 *m.* 1 *f.*)
damon, *W.V.*, Alps, 10 *sp.* (5 *m.* 3 *f.* 2 *r.*)
daphnis, *W.V.* (meleager, *Es.*) France, 9 *sp.* (4 *m.* 4 *f.* 1 *r.*)
stevenii, *Kind.*, Russia, 4 *sp.* (2 *m.* 2 *f.*)
dorylas, *W.V.*, French Alps, 13 *sp.* (8 *m.* 3 *f.* 2 *r.*)
agestor, *G.* (escheri, *H.*), Vernet, 11 *sp.* (6 *m.* 3 *f.* 2 *r.*)
amandus, *Schn.* (icarius, *Es.*) Vernet, 11 *sp.* (6 *m.* 3 *f.* 2 *r.*)
iolas, *O.*, Hungary, 9 *sp.* (4 *m.* 4 *f.* 1 *r.*, 1 *damaged.*)
arion, *L.*, France, 6 *sp.*
do., Zermatt, 1 *sp.*
arcas, *Rott.* (erebus, *Kh.*), Germany, 7 *sp.* (4 *m.* 2 *f.* 1 *r.*)
alcon, *W.V.*, Paris, 7 *sp.* (4 *m.* 3 *f.*)
diomedes, *Rott.* (euphemus, *H.*) France, 8 *sp.* (4 *m.* 4 *f.*)
admetus, *Es.*, Hungary, 7 *sp.* (3 *m.* 3 *f.* 1 *r.*)
chiron, *Rott.* (eumedon, *Es.*), Alps, 7 *sp.* (4 *m.* 3 *f.*)
acis, *Ht.*, France, 4 *sp.* (2 *m.* 1 *f.* 1 *r.*)
sebrus, *H.*, Switzerland, 5 *sp.* (2 *m.* 3 *f.*)
donzelii, *Bdv.*, Spain, 6 *sp.*
lorquinii, *H.S.*, 3 *sp.* (2 *m.* 1 *f.*)

ERYCINIDÆ.

NEMEOBIUS, *St.*

lucina, *L.*, France, 3 *sp.* (1 *m.* 1 *f.*, 1 *r.*)

LIBYTHEIDÆ.

LIBYTHEA, *Fab.*

celtis, *Es.*, Southern France, 7 *sp.* (1 *r.*)

APATURIDÆ.

CHARAXES, *O.*

jasius, *Linn.*, Southern France, 6 *sp.* (1 *r.*)

APATURA, *F.*

iris, *L.*, Austria, 2 *sp.* (1 *m.* 1 *f.*)
do., ab. beroe, *F.* (iole, *H.*), Vienna, 1 *sp.*
ilia, *W.V.*, Central France, 6 *sp.* (4 *m.* 1 *f.*, 1 *r.*)
metis, *Kind.*, Russia, 2 *sp.*
do., *var.* clytie, *H.*, Central France, 7 *sp.* (5 *m.* 2 *f.*)
ionia, *Fisch.* (ammonia, *H.S.*), Turkey, 1 *sp.*

NYMPHALIDÆ.

NYMPHALIS, *Lt.*

populi, *L.*, Northern France, 6 *sp.* 4 *m.* 2 *f.* (1 *f. r.*)

**5th Drawer.**

do., Northern France, 2 *sp.* (1 *m.* 1 *f.*)
do., *var.* tremulæ, *Esp.*, 1 *sp.*

LIMENITIS, *Fab.*

hellmanni, *Ld.* South of Russia, 1 *sp.*
sibylla, *L.*, Paris, 3 *sp.*
camilla, *W.V.*, Hungary, 8 *sp.* (1 *r.*, 1 *damaged.*)

NEPTIS, *Fab.*

aceris, *Lep.*, Piedmont, 8 *sp.* (1 *r.*)
lucilla, *W.V.*, Hungary, 8 *sp.* (1 *r.*, 1 *damaged.*)
do., *var.* ludmilla, *Kind.*, Caucasus, 1 *sp.*

ARASCHNIA, *H.*

levana, *L.*, France, 16 *sp.* (1 *r.*)
*var. ab.* alba porima, *Och.*, 5 *sp.* (1 *r.*)
prorsa, *L.*, *var.* France, 21 *sp.* (2 *r.*)

VANESSA, *Lin.*

antiopa, *L.*, France, 5 *sp.* (1 *r.*)
io, *L.*, Germany, 1 *sp.*
do., Corsica, 2 *sp.*
do., (*var.* Sardoa, *Stdg.*) Sardinia, 1 *sp.*
do., *var.* ioides, *Dahl.*, Andalusia, 5 *sp.*

VANESSA—*continued.*

v-album, *W. V.*, Hungary, 7 *sp.*
polychloros, *Lin.*, Austria, 2 *sp.*
xanthomelas, *W.V.*, Austria, 5 *sp.*
cardui, *L.*, Saxony, 2 *sp.*
atalanta, *L.*, France, 2 *sp.*
urticæ, *L.*, Germany, 2 *sp.*
do., *L.*, North of Norway, 2 *sp.*
ichnusa, *Bon.*, Corsica, 9 *sp.*
egea, *Cr.* (l-album, *Bd.*), France, 8 *sp.* (2 *r.*)
c-album, *L.*, France, 6 *sp.* (1 *r.*)

MELITÆA, *Fab.*

iduna, *Dalm.*, Lapland, 5 *sp.* (1 *r.*)
cynthia, *W.V.*, Switzerland, 13 *sp.* (7 *m.* 5 *f.* 1 *r.*)
bætica, *R.*, Spain, 1 *sp.*
maturna, *L.*, Switzerland, 11 *sp.* (7 *m.* 3 *f.* 1 *r.*)
artemis, *H.*, Hungary, 3 *sp.*
do., South France, 4 *sp.* (2 *m.* 1 *f. and* 1 *r.*)

**6th Drawer.**

desfontainesii, *God.* (beckeri, *Ld.*), Spain, 10 *sp.* (3 *m.* 4 *f. and* 3 *r.*)
merope, *Prun.*, Switzerland, 9 *sp.*
cinxia, *L.*, Switzerland, 5 *sp.* (3 *m. and* 2 *f.*, 1 *broken.*)
do., Central France, 4 *sp.* (2 *m.* 1 *f. and* 1 *r.*)
arduinna, *Es.*, South of Russia, 2 *sp.*
phœbe, *Fab.*, French Alps, 12 *sp.* (2 *r.*)
do., Italy, 2 *sp.*
do., *var.* ætheria, *Ev.*, Russia, 4 *sp.*
do., Andalusia, 4 *sp.*
do., *var.* occitanica, *Stdg.* Italy? 5 *sp.*
didyma, *O.*, Central France, 11 *sp.* (5 *m.* 5 *f. and* 1 *r.*)
trivia, *W.V.*, Vienna, 9 *sp.* (5 *m.* 2 *f. and* 2 *r.*)
do., Greece, 2 *sp.* (1 *m.* 1 *f.*)
do., *var.* fascelis, *Esp.*, South Russia, 2 *sp.*
persea, *Koll.*, Greece, 4 *sp.* (2 *m.* 1 *f. and* 1 *r.*)
dictynna, *Esp.*, Berlin, 11 *sp.* (5 *m.* 4 *f. and* 2 *r.*)
athalia, *Esp.*, Paris, 6 *sp.* (3 *m.* 2 *f. and* 1 *r.*)
do., large dark *var.*, 3 *sp.*
britomartis, *Assm.*, Austria, 6 *sp.* (4 *m.* 1 *f.* and 1 *r.*)

MELITÆA—*continued.*

dejone, *H.*, Eastern Pyrenees, 5 *sp.* (3 *m.* and 2 *f.*)
parthenie, *Bk.*, Germany, 10 *sp.* (5 *m.* 4 *f.* and 1 *r.*)
parthenoides, *Kf.*, Paris, 9 *sp.* (2 *r.*)
do., Bavaria, 2 *sp.* (1 *m.* 1 *f.*)
do., Andalusia, 2 *sp.* (1 *m.* 1 *f.*)
varia, *Mg.*, Switzerland, 10 *sp.* (5 *m.* 3 *f.* and 2 *r.*)
asterie, *Fr.*, Swiss Alps, 9 *sp.* (2 *r.*)

ARGYNNIS, *F.*

aphirape, *H.*, Switzerland, 7 *sp.* (3 *m.* 2 *f.* and 1 *r.*)
triclaris, *H.*, Russia, 4 *sp.* (2 *r.*)
ossianus, *B.*, S. of Russia, 3 *sp.* (1 *r.*)
do., *var.* fingal, *Herbst.*, Norway, 2 *sp.*
selenis, *Ev.*, Russia, 4 *sp.*
selene, *W.V.*, Paris, 3 *sp.* (1 *r.*)
do., Lapland, 2 *sp.* (1 *r.*)
euphrosyne, *L.*, Paris, 2 *sp.* (1 *r.*)
nephele, *Krets*, Polar Norway, 2 *sp.*
arsilache, *Hb.*, French Alps, 11 *sp.* (2 *r.*)
do., Lapland, 2 *sp.* (1 *r.*)
pales, *W.V.*, French Alps, 12 *sp.* (3 *r.*)
do., *var.* isis, *Hb.*, Pyrenees, 8 *sp.* (1 *r.*)
amathusia, *Es.*, Alps, 10 *sp.* (2 *r.*, 1 *body gone.*)
frigga, *Th.*, Lapland, 2 *sp.*
do., Polar Norway, 1 *sp.*
polaris, *Bdv.*, Polar Norway, 3 *sp.*
chariclea, *Hbst.*, Lapland, 2 *sp.* (1 *r.*)

**7th Drawer.**

freija, *Th.*, Lapland, 7 *sp.* (3 *r.*)
dia, *L.*, Paris, 12 *sp.* (2 *r.*)
thore, *H.*, Lapland, 5 *sp.* (2 *r.*)
hecate, *W.V.*, Russia, 12 *sp.* (6 *m.* 5 *f.* and 1 *r.*)
ino, *Es.*, Germany, 18 *sp.* (12 *m.* 4 *f.* and 2 *r.*)
daphne, *F.*, Swiss Alps, 13 *sp.* (4 *m.* 5 *f.* and 4 *r.*, *two bodies gone.*)
lathonia, *L.*, France, 7 *sp.* (3 *r.*)
cyrene, *Bn.* (elisa, *G.*), Corsica, 8 *sp.* (4 *m.* 3 *f.* and 1 *r.*)
laodice, *Pll.*, S. of Russia, 11 *sp.* (6 *m.* 3 *f.* and 2 *r.*, 1 *body gone.*)
niobe, *L.*, France, 7 *sp.* (3 *m.* 2 *f.* 2 *r.*)

ARGYNNIS—*continued.*

niobe, *ab. var.* eris, *Meig.*, 7 *sp.* (3 *m.* 2 *f.* and 2 *r.*)
aglaia, *L.*, France, 7 *sp.* (3 *m.* 2 *f.* and 2 *r.*)
adippe, *F.*, Saxony, 6 *sp.* (2 *m.* 2 f. and 2 *r.*)
do., *var.* chlorodippe, *H.S.*, Spain, 4 *sp.* (1 *m.* 1 *f.* 2 *r.*)
do., *var.* cleodoxa, *O.*, Greece, 6 *sp.* (3 *r.*)
do., *var.* immaculata, *Bell*, Corsica, 1 *sp.* (*r.*)
paphia, *L.*, Central France, 3 *sp.* (1 *m.* 1 *f.* and 1 *r.*)
pandora, *W.V.* (cynara, *F.*), Andalusia, 7 *sp.* (3 *m.* 3 *f.* 1 *r.*)

DANAIDÆ.

DANAIS, *Bdv.*

chrysippus, *L.*, Greece, 1 *sp.* (1 *f.*)
do., *var.* alcippus, *F.*, Greece, 2 *sp.* (1 *m.* 1 *f.*)

SATYRIDÆ.

MELANAGRIA, *Mg.*

galathea, *L.*, France, 6 *sp.* (2 *r.*)
do., *var.* procida, *Herbert*, Southern France, 2 *sp.*
do. do., Greece, 4 *sp.*
do. *var.* turcica, Turkey, 2 *sp.*
do., *var.* leucomelas, Alps, 3 *sp.* (2 *r.*)
do., *var.* Algeria, 2 *sp.*
titea, *Klug.*, Turkey, 2 *sp.*

**8th Drawer.**

do., Magdala, Palestine, 6 *sp.* (1 *r.*)
lachesis, *H.*, Eastern Pyrenees, 8 *sp.* (1 *r.*)
do., *var.* carpetana, *St.*, Andalusia, 4 *sp.*
do., *var.* leucomelas, 1 *sp.*
larissa, *H.*, Caucasus, 8 *sp.*
herta, *H.*, Greece, 6 *sp.*
clotho, *H.*, Hungary, 7 *sp.*
do., *var.* cleanthe, *Bd.*, Greece, 6 *sp.*
do., *var.* atropos, *H.*, Sicily, 1 *sp.*
psyche, *H.* (syllius, *Ht.*), Andalusia, 12 *sp.* (1 *r.*)
arge, *Sz.* (amphitrite, *H.*), Spain, 2 *sp.*
pherusa, *Bd.*, Sicily, 3 *sp.*
thetis, *H.* (ines, *Hffms.*), Andalusia, 5 *sp.* (2 *r.*)

EREBIA, *Bdv.*

euryale, *Es.*, French Alps, 2.
do., *var.* adyte, *H.*, Eastern Pyrenees, 6 *sp.* (2 *r.*)
do., *var.* philomela, *Hb.*, Swiss Alps, 2 *sp.*
disa, *Th.*, Polar Norway, 4 *sp.* (2*r.*)
embla, *Th.*, Lapland, 4 *sp.* (1 *r.*)
neoridas, *Bdv.*, French Alps, 5 *sp.* (1 *r.*)
ligea, *L.*, Lapland, 3 *sp.* (1 *r.*)
do., Germany, 6 *sp.* (1 *r.*)
do., *var.* euryaloides, *Tgstr.*, 2 *sp.*
epiphron, *Kn.*, Eastern Pyrenees, 6 *sp.* (1 *r.*)
cassiope, *F.*, Swiss Alps, 3 *sp.*
do., Pyrenees, 1 *sp.*
do., *var.* nelamus, *Bdv.*, French Alps, 1 *sp.*
melampus, *Fu.*, Swiss Alps, 10 *sp.* (1 *r.*, 1 *body gone.*)
eriphyle, *Fr.*, Austrian Alps, 2 *sp.*
arete, *F.*, Alps of Carinthia, 10 *sp.* (2 *r.*)
mnestra, *Es.*, Switzerland, 8 *sp.* (1 *r.*)
pharte, *Es.*, Switzerland, 7 *sp.* (2 *r.*, 1 *damaged.*)
pyrrha, *W.V.*, Austrian Alps, 10 *sp.* (3 *r.*)
do., *var.* cœcilia, *Hb.*, Swiss Alps, 3 *sp.* (1 *r.*)
theano, *Ev.*, Russia, 3 *sp.* (1 *r.*)
ceto, *H.*, Swiss Alps, 7 *sp.* (1 *r.*)
œme, *Es.*, Austrian Alps, 6 *sp.* (2 *r.*)
nerine, *Fr.*, Eastern Pyrenees, 4 *sp.* (1 *r.*)
medusa, *W.V.*, Germany, 8 *sp.* (2 *r.*)
do., Polar Norway, 2 *sp.*

**9th Drawer.**

psodea, *Och.*, *var.* Switzerland, 4 *sp.* (1 *r.*)
do., Nassau, 1 *sp.*
pirene, *Es.* (stygne, *O.*, non, *H.*), Swiss Alps, 6 *sp.* (1 *r.*)
do., Vernet, 7 *sp.* (2 *r.*)
medea, *W.V.* (blandina, *F.*), Vienna, 3 *sp.* (1 *r.*)
scipio, *Bd.*, Eastern Pyrenees, 8 *sp.* (1 *r.*)
evias, *Lef.*, Andalusia, 8 *sp.* (2 *r.*)
hewitsonii, *Led.*, Caucasus, 2 *sp.*
melas, *Ht.*, Greece, 6 *sp.* (1 *r.*)

EREBIA—*continued.*

melas, *var.* lefebvrei, *Bd.*, Pyrenees, 5 *sp.* (1 *r.*)
alecto, *Hb.*, *var.* glacialis, *Esp.*, Swiss Alps, 3 *sp.*
do., *H.*, Switzerland, 6 *sp.* (1 *r.*)
epistygne, *Bd.*, Eastern Pyrenees, 11 *sp.* (3 *r.*)
parmenio, *Boeb.*, Russia, 1 *sp.*
afra, *Es.*, Greece, 5 *sp.* (1 *r.*)
do., *var.* dalmata, Dalmatia, 1 *sp.*
manto, *W.V.*, Switzerland, 8 *sp.* (2 *r.*)
do., Sierra Nevada, Spain 2 *sp.*
tyndarus, *Es.* (dromus, *F.*), Swiss Alps, 8 *sp.* (2 *r.*)
do., *var.*, Caucasus, 1 *sp.*
do., *var.* nevadensis, Sierra Nevada, Spain, 2 *sp.*
do., *var.*, Vernet, 4 *sp.*
do., *var.* ottomana, Greece, 4 *sp.*
goante, *Esp.*, Switzerland, 10 *sp.* (3 *r.*)
erynis, *Esp.*, Eastern Pyrenees, 2 *sp.* (1 *r.*)
gorge, *Esp.*, French Alps, 6 *sp.* (2 *r.*)
gorgone, *Bd.*, Swiss Alps, 6 *sp.* (1 *r.*)
pronoe, *Es.* (arachne, *F.*), Switzerland, 6 *sp.* (3 *m. and* 3 *f.*)
do., *var.* pitho, *H.*, Switzerland, 4 *sp.* (1 *r.*)

CHIONOBAS, *Bdv.*

jutta, *Hub.*, North of Russia, 1 *sp.* (*damaged.*)
do., *var.* balderi, *Hb.*, 1 *sp.*
norna, *Th.*, Polar Norway, 4 *sp.* (2 *r.*)
aello, *Es.*, Lapland, 4 *sp.* (1 *r.*)
sculda, *Ev.* ? Russia, 1 *sp.*
taygete, *Hub.* (bootes, *Bdv.*), Polar Norway, 2 *sp.*
also, *Bdv.*, Lapland, 1 *sp.*
crambis, *Fr.*, Lapland, 2 *sp.*
tarpeia, *Es.*, North of Russia, 3 *sp.* (1 *r.*)

SATYRUS, *Latr.*

geyeri, *Hs.*, Russia, 6 *sp.* (3 *m.* 2 *f.* 1 *r.*)
agave, *Es.* (hippolyte, *Es.*), Russia, 4 *sp.* (1 *r.*)
autonoe, *Es.*, Russia, 4 *sp.* (2 *m.* 1 *f.* 1 *r.*, *body gone and otherwise dilapidated.*)

SATYRUS—*continued.*

telephassa, *Klug.*, Russia, 5 *sp.* (2 *m.* 3 *f.*)
anthelea, *Bdv.*, Russia, 4 *sp.* (2 *m.* 2 *f.*)
amalthea, *Friv.*, Greece, 4 *sp.* (2 *m.* 2 *f.*)
anthe, *Boeb.*, South of Russia, 3 *sp.* (2 *m.* 1 *f.*, *ruined by grease.*)

**10th Drawer.**

do., *var.* hanifa, *Nord.*, Caucasus, 5 *sp.* (3 *m.* 2 *f.*)
pelopea, *Klug.*, Caucasus, 4 *sp.* (2 *m.* 2 *f.*)
do., Russia, 2 *sp.*
mamurra, *H.S.*, Russia, 3 *sp.*
beroë, *Friv.*, Russia, 3 *sp.* (2 *m.* 1 *f.*)
mniszechii, *Kind.*, Turkey, 3 *sp.* (2 *m.* 1 *f.*)
bischoffii, *Wagn.*, Russia, 4 *sp.* (3 *m.* 1 *f.*)
jolaus, *Bn.* (neomiris, *G.*), Corsica, 8 *sp.* (5 *m.* 2 *f.* 1 *r.*)
semele, *L.*, Eastern Pyrenees, 2 *sp.* (1 *m.* 1 *f.*)
do., Greece, 2 *sp.* (1 *m.* 1 *f.*)
do., Sicily, 2 *sp.* (1 *m.* 1 *f.*)
do., *var.* aristæus, *Bn.*, Corsica, 7 *sp.* (3 *m.* 3 *f.* 1 *r.*)
briseis, *L.*, Paris, 11 *sp.* (5 *m.* 5 *f.* [2 *of a large dark var.*], 1 *r.*)
do., *var.* pirata, *Es.*, Eastern Pyrenees, 2 *sp.* (1 *m.* 1 *f.*)
heydenreichi, *Ld.*, South of Russia, 2 *sp.* (1 *r.*)
alcyone, *W.V.*, Germany, 5 *sp.* (2 *m.* 1 *f.* 2 *r.*)
hermione, *L.*, Eastern Pyrenees, 5 *sp.* (1 *r.*)
do., Hungary, 10 *sp.* (4 *m.* 4 *f.* *and* 2 *r.*)
proserpina, *W.V.* (circe, *Fab.*), Sicily, 10 *sp.* (6 *m.* 2 *f.* *and* 2 *r.*)
arethusa, *W.V.*, France, 5 *sp.* (3 *m.* 1 *f.* 1 *r.*, *with body gone.*)
do., *var.* erythia, *H.*, Italy, 11 *sp.* (3 *m.* 3 *f.* *and* 5 *r.*, *of which two with wings broken, and one with body gone.*)
statylinus, *Hf.*, Central France, 6 *sp.* (2 *m.* 3 *f.* 1 *r.*)
do., *var.* allionia, *F.*, Sicily, 4 *sp.* (2 *m.* 1 *f.* 1 *r.*)

SATYRUS—*continued.*

fatua, *Fr.*, Turkey, 4 *sp.* (1 *m.* 2 *f.* *and* 1 *r.*)
sichæa, *Led.*, Turkey, 1 *sp.*
fidia, *L.*, Corsica, 8 *sp.* (4 *m.* 2 *f.* *and* 2 *r.*)

**11th Drawer.**

cordula, *F.*, Turkey, 2 *sp.* (1 *m.* 1 *f.*)
do., Syria, 1 *sp.*
do., French Alps, 7 *sp.* (3 *m.* 3 *f.* 1 *r.*)
actæa, *Es.*, Spain, 6 *sp.* (3 *m.* 1 *f.* 2 *r.*)
phædra, *L.*, Central France, 10 *sp.* (5 *m.* 3 *f.* 2 *r.*)

YPHTHIMA, *Doubl.*

asterope, *Klug.*, Turkey, 2 *sp.*

LASIOMMATA, *We.*

roxelana, *Cr.* (*genus* Pararge, *H.*), Turkey, 6 *sp.* (4 *m.* 1 *f.* 1 *r.*)
clymene, *Es.*, Turkey, 3 *sp.*
do., *var.* roxandra, *Kind.*, Caucasus, 2 *sp.* (1 *r.*)
mæra, *L.*, *var.* (adrasta, *Och.*), France, 2 *sp.*
do., France, 6 *sp.* (3 *m.* 2 *f.* 1 *r.*)
do., *var.* alpina, Switzerland, 3 *sp.* (1 *m.* 2 *f.*)
megæra, *L.*, Germany, 1 *sp.* (*large var.*)
do., Sicily, 4 *sp.* (1 *m.* 2 *f.*, 1 *r.*)
lyssa, *Bdv.*, Turkey, 1 *sp.*
tigelius, *Bon.*, Corsica, 10 *sp.* (7 *m.* 2 *f.* *and* 1 *r.*, *body gone.*)
hiera, *H.*, Switzerland, 6 *sp.* (2 *m.* 2 *f.*, 2 *r.*)
ægeria, *L.*, France, 3 *sp.* (1 *m.* *and* 2 *f.*)
do., *var.* meone, *H.*, Southern France, 6 *sp.* (3 *m.* 3 *f.*)
dejanira, *L.*, Paris, 6 *sp.* (2 *r.*)
janira, *L.*, Corsica, 5 *sp.* (3 *m.* 2 *f.*)
do., *var.* hizpulla, *H.*, Corsica, 5 *sp.* (2 *m.* 3 *f.*)
telmessia, *Zell.*, Turkey, 4 *sp.* (2 *m.* 2 *f.*)
nurag, *Ghil.*, Corsica, 2 *sp.* (1 *m.* 1 *f.*)
lycaon, *Rott.* (eudora, *Es.*), Southern France, 12 *sp.* (5 *m.* 7 *f.*, 1 *body gone.*)
eudora, *Fab.*, *var.* lupinus, *Costa*, Italy, 2 *sp.* (1 *m.* 1 *f.*)

LASIOMMATA—*continued.*

tithoneus, *L.*, France, 3 *sp.* (1 *m.* 1 *f.* 1 *r.*)
ida, *Esp.*, Southern France, 7 *sp.* (4 *m.* 2 *f.* 1 *r.*)
pasiphæ, *Esp.*, Southern France, 8 *sp.* (4 *m.* 3 *f.* 1 *r.*, 2 *damaged.*)
hyperanthus, *L.*, France, 4 *sp.* (2 *r.*)

CŒNONYMPHA, *H.*

œdipus, *Fab.*, Piedmont, 6 *sp.* (4 *m.* 1 *f. and* 1 *r.*)
leander, *Es.*, Hungary, 7 *sp.* (3 *m.* 3 *f.* 1 *r.*)
davus, *F.*, France, 6 *sp.* (2 *m.* 3 *f. and* 1 *r.*)
do., Scotland, 5 *sp.* (2 *m.* 1 *f. and* 2 *r.*)
do., *var.* isis, *Th.*, Lapland, 3 *sp.* (1 *r.*)
do. *var.* rothliebi, Germany, 5 *sp.* (2 *m.* 1 *f.* 2 *r.*)
iphis, *W.V.*, 8 *sp.* (4 *m.* 2 *f.* 2 *r.*, 1 *f. body gone.*)
arcanius, *L.*, Northern France, 6 *sp.* (3 *m.* 1 *f. and* 2 *r.*)

**12th Drawer.**

philea, *H.* (satyrion, *Es.*), Switzerland, 7 *sp.* (3 *m.* 2 *f.* 2 *r.*, 1 *broken.*)
dorus, *Es.*, Spain, 7 *sp.* (4 *m.* 1 *f. and* 2 *r.*)
amaryllis, *Cr.*, Russia, 3 *sp.* (2 *m.* 1 *f.*)
hero, *L.*, France, 7 *sp.* (2 *m.* 3 *f. and* 2 *r.*)
do., Greece, 2 *sp.* (1 *r.*)
thyrsis, *Fr.*, Sicily, 2 *sp.* (1 *dilapidated.*)
pamphilus, *L.*, *var.* lyllus, *Es.*, Corsica, 5 *sp.* (3 *m. and* 2 *f.*)
corinna, *H.*, Corsica, 9 *sp.* (5 *m.* 2 *f. and* 2 *r.*)

TRIPHYSA, *Z.*

phryne, *Pll.*, Russia, 5 *sp.* (2 *m.* 2 *f.* 1 *r.*, 1 *m. greasy.*)

HESPERIDÆ.

PYRGUS, *H.* (SPILOTHYRUS, *Dup.*)

malvarum, *Hffsm.*, Corsica, 16 *sp.* (1 *r.*)
altheæ, *Hb.*, Sicily, 4 *sp.*
marrubii, *R.*, Spain, 3 *sp.*
lavateræ, *Es.*, Sicily, 12 *sp.* (1 *r.*)

PYRGUS—*continued.*

gemina, *Ld.*, Andalusia, 7 *sp.* (1 *damaged.*)

SYRICHTHUS, *Bdv.*

andromedæ, *Wallgr.*, Lapland, 1 *sp.*
proto, *Es.*, Spain, 7 *sp.* (1 *r.*)
tessellum, *H.*, Russia, 6 *sp.* (1 *body gone.*)
sidæ, *Es.*, South of Russia, 6 *sp.* (1 *r.*)
poggei, *Led.*, Russia, 2 *sp.*
carthami, *H.*, France, 9 *sp.* (2 *r.*)
cynaræ, *Rmb.*, Russia, 7 *sp.*
cribrellum, *E.*, Russia, 4 *sp.*
phlomidis, *H.S.*, South of Russia, 3 *sp.* (1 *damaged.*)
alveus, *H.*, French Alps, 8 *sp.* (1 *r.* 1 *damaged.*)
serratulæ, *R.*, Alps, 7 *sp.* (1 *r.*)
carlinæ, *R.*, Vernet, 2 *sp.*
fritillum, *H.*, Vernet, 3 *sp.* (1 *greasy.*)
cacaliæ, *R.*, Alps, 4 *sp.* (1 *r.*, 1 *damaged.*)
centaureæ, *R.*, Lapland, 2 *sp.* (1 *damaged.*)
onopordi, *R.*, Spain, 3 *sp.* (1 *damaged.*)
cirsii, *R.*, Southern France, 4 *sp.* (1 *r.*)
eucrate, *Och.*, Greece, 4 *sp.* (1 *r.*)
do., *var.* orbifer, *Hub.*, Hungary, 6 *sp.*
mœschleri, South of Russia, 2 *sp.*
therapne, *R.*, Corsica, 8 *sp.*
sao, *H.*, Spain, 10 *sp.* (1 *r.*)
alveolus, *Hb.*, Paris, 7 *sp.* (1 *r.*)

THANAOS, *Bdv.* (NISONIADES, *Hb.*)

tages, *L.*, France, 3 *sp.*
marloyi, *Bdv.*, Greece, 1 *sp.*

HESPERIA, *B.* (PAMPHILA, *F.*)

nostrodamus, *Fab.*, *var.* lefebvrei, *R.*, Sicily, 2 *sp.*
alcides, *H.S.*, Syria, 3 *sp.* (2 *m.* 1 *f.*)
sylvanus, *H.*, France, 2 *sp.* (1 *damaged.*)
comma, *L.*, Northern France, 4 *sp.* (1 *m.* 2 *f.* 1 *r.*)
hyrax, *Led.*, Syria, 1 *sp.*
thaumas, *Hf.* (linea, *W.V.*), Paris, 2 *sp.*
lineola, *O.*, France, 7 *sp.*
actæon, *Es.*, Berlin, 5 *sp.*

CYCLOPIDES, *H.*
steropes, *W.V.* (aracinthus, *F.*), Paris, 5 *sp.* (1 *r.*)
CARTEROCEPHALUS, *Led.*
paniscus, *F.* (palaemon, *Pall.*), Paris, 4 *sp.* (2 *r.*)
silvius, *Kh.*, Hanover, 5 *sp.* (4 *m.* 1 *f.*)

**13th Drawer.**

**HETEROCERA.**

SPHINGES, *L.*
SPHINX, *Och.*
pinastri, *Lin.*, Germany, 11 *sp.* (2 *m.* 9 *f.*)
convolvuli, *Lin.*, France 1 *sp.* (*f.*)
ligustri, *Lin.*, Paris, 2 *sp.* (*m.*)
do., *var.* spireæ, *H.*, Berlin, 1 *sp.* (*m.*)
DEILEPHILA, *Och.*
nerii, *L.*, Southern France, 2 *sp.* (1 *m.* 1 *f.*)
nicæa, *Prun*, Italy, 2 *f.*
euphorbiæ, *Linn.*, Paris, 10 *sp.* (2 *m.* 8 *f.*)
tithymali, *Bdv.*, 2 *sp.* (1 *m.* 1 *f.*)
galii, *F.*, France, 9 *sp.* (2 *m.* 7 *f.*)
dahlii, *Tr.*, Corsica, 5 *sp.* (2 *m.* 3 *f.*)
hippophaës, *Esp.*, Switzerland, 6 *sp.* (2 *m.* 4 *f.*)
vespertilio, *Esp.*, Southern France, 4 *sp.* (3 *m.* 1 *f.*)
lineata, *Fab.*, Sardinia, 3 *sp.* (1 *m.* 2 *f.*)
celerio, *L.*, France, 1 *f.*
alecto, *L.*, Turkey, 2 *sp.* (1 *m.* 1 *f.*)
elpenor, *L.*, Germany, 2 *sp.* (1 *m.* 1 *f.*)
SMERINTHUS, *Och.*
ocellata, *L.*, Northern France, 1 *sp.* (*f.*)
populi, *L.*, France, 2 *sp.* (1 *m.* 1 *f.*)
quercus, *Esp.*, Southern France, 5 *sp.* (1 *m.* 4 *f.*)
tiliæ, *L.*, Paris, 2 *sp.* (1 *m.* 1 *f.*)
PTEROGON, *Bdv.*
œnotheræ, *Esp.*, Southern France, 8 *sp.*
MACROGLOSSA, *Och.*
croatica, *Esp.*, Hungary, 3 *sp.* (2 *m.* 1 *f.*)
fuciformis, *L.*, Germany, 2 *sp.* (1 *m.* 1 *f.*)

**14th Drawer.**

SESIIDÆ, *H.S.*
SESIA, *F.*
asiliformis, *Fab.*, France, 1 *sp.* (*dilapidated.*)
hylæiformis *Lasp.*, (*gen.* Bembecia, *Hb.*), Germany, 4 *sp.* (3 *dilapidated.*)
leucopsiformis, *Esp.*, Germany, 5 *sp.* (1 *dilapidated and* 1 *body gone.*)
astatiformis, *Heyd.*, Ratisbon, 1 *sp.*
alysoniformis, *H.S.*, Hungary, 4 *sp.*
braconiformis, *Friv.*, Hungary, 2 *sp.*
therevæformis, *Led.*, Hungary, 2 *sp.*
muscæformis, *H.S.*, Germany, 1 *sp.* (*no antennæ.*)
annellata, *Zell.*, Hungary, 2 *sp.*
mannii, *Led.*, Hungary, 4 *sp.* (1 *mouldy.*)
fenusæformis, *Led.*, Hungary, 2 *sp.* (1 *poor.*)
conopiformis. *Esp.* (nomadæformis, *Lasp.*), Ratisbon, 3 *sp.*
philanthiformis, *Lasp.*, Ratisbon, 6 *sp.* (2 *injured.*)
do., Berlin, 2 *sp.* (1 *very bad.*)
tenthrediniformis, *Hb.*, Ratisbon, 6 *sp.* (4 *in bad state.*)
prosopiformis, *Och.*, Russia, 1 *sp.*
chrysidiformis, *Esp.*, Southern France, 3 *sp.* (1 *poor.*)
miniacea, *Led.*, Hungary, 2 *sp.*
bibioniformis, *Esp.* 1 *sp.*
affinis, *Staud.*, Ratisbon, 4 *sp.* (3 *poor.*)
ichneumoniformis, *F.*, Austria, 2 *sp.*
megillæformis, *Hb.*, Ratisbon, 1 *sp.* (*poor.*)
doryliformis, *Och.*, Sicily, 3 *sp.* (*poor.*)
meriæformis, *Assm.*, Corsica, 2 *sp.* (*unset.*)
do., Corsica, 3 *sp.* (*poor.*)
tineiformis, *Och.*, (*gen.* Paranthrene, *Hb.*) Corsica, 1 *sp.* (1 *very poor.*)
brosiformis, *H.*, (*gen.* do.) Hungary, 4 *sp.* (1 *body gone and* 2 *others poor.*)
osmiæformis, *H.S.*, Sicily, 1 *sp.* (*poor.*)
myopæformis, *Bork.* (mutillæformis, *Lasp.*), Austria, 2 *sp.* (*both verdigrised.*)
stomoxiformis, *Schr.* Hungary, 4 *sp.* (1 *poor.*)

SESIA—*continued.*
sphegiformis, *Fab.*, *France*, 1 *sp.* (*very much verdigrised.*)
aerifrons, *Zell.*, Germany, 2 *sp.*

THYRIDIDÆ, *H.S.*

THYRIS, *Illy.*
fenestrina, *W.V.*, South. France, 6 *sp.* (1 *body gone.*)

ZYGÆNIDÆ, *Bd.*

PROCRIS, *Fab.* (INO, *Leach.*)
infausta, *Linn.*, France, 8 *sp.* (3 *m.* 5 *f.*)
ampelophaga, *Hb.*, Italy, 11 *sp.* (8 *m.* 3 *f.*)
amasina, *H.S.*, 3 *sp.* (2 *m.* 1 *f.*)
chlorosata, *Led.*, 3 *sp.* (2 *m.* 1 *f.*)
pruni, *W. V.*, France, 9 *sp.* (5 *m.* 4 *f.*)
chloros, *Hb.*, Hungary, 9 *sp.* (3 *m.* 6 *f.*)
do., *var.* (sepium, *Bdv.*), France, 3 *sp.* (2 *m.* 1 *f.*)
unnamed, 2 *sp.* (1 *m.* 1 *f.*, *body of m. gone.*)
micans, *Frey*, 1 *sp.* (*m.*)
tenuicornis, *Z.*, Hungary, 11 *sp.* (6 *m.* 5 *f.*)
globulariæ, *Esp.*, Vernet, 6 *sp.* (4 *m.* 2 *f.*)
budensis, *Spr.*, Hungary, 7 *sp.* (5 *m.* 2 *f.*)
volgensis, *Mösch.*, Russia. 2 *sp.* (*m.*)
chrysocephala, *Nick.*, Swiss Alps, 7 *sp.* (5 *m.* 2 *f.*)
unnamed, 1 *sp.* (*m.*)
geryon, *Hb.*, Vienna, 4 *sp.* (1 *m.* 3 *f.*, 1 *m. ruined by mould.*)
do., from Herr Lederer, Vienna, 3 *sp.* (1 *m.* 2 *f.*, 1 *damaged.*)
statices, *L.*, Pyrenees, 6 *sp.* (4 *m.* 2 *f.*)
do., Caucasus, from Herr Lederer, 2 *sp.* (1 *m.* 1 *f.*, 1 *mouldy.*)
do., Swiss Alps, from Herr Lederer, 1 *sp.* (*m.*)
heidenreichii, *Led.*, Switzerland, 4 *sp.* (1 *m.* 1 *f.*, 2 *with head gone.*)
mannii, *Led.*, Turkey, 2 *sp.* (1 *m.* 1 *f.*)
obscura, *Zell.*, Turkey, 2 *sp.* (1 *m.* 1 *f.*, *head gone.*)
crassicornis, *Staud.*, French Alps, 1 *sp.* (*m.*)

ZYGÆNA, *Latr.*
erythrus, *Hub.*, Sicily, 6 *sp.*
pluto, *Och.*, Eastern Pyrenees, 2 *sp.*
minos, *W.V.*, Central France, 8 *sp.* (1 *pupa case.*)
heringii, *Zell.*, Berlin, 2 *sp.*
nubigena, Austrian Alps, 3 *sp.*
do., from Herr Zeller, 3 *sp.*
scabiosæ, *Hb.*, France, 7 *sp.*
brizæ, *Esp.*, Hungary, 5 *sp.*
dalmatina, *Bdv.*, Andalusia, 1 *sp.*
punctum, *Och.*, Hungary, 6 *sp.*
kefersteinii, *H.S.*, Turkey, 4 *sp.*
contaminei, *Bdv.*, Hungary, 4 *sp.*
freyeri, *Ld.* Hungary, 2 *sp.* (1 *without the head.*)
sarpedon, *Hb.*, Pyrenees, 4 *sp.*
do., *var.* balearica, *Bdv.*, Andalusia, 4 *sp.*
graslini, Turkey, 6 *sp.*
ramburii, *H.S.*, Syria, 4 *sp.*
charon, *Bdv.*, Piedmont, 1 *sp.*
achilleæ, *Esp.*, Germany, 6 *sp.*
do., Caucasus, 1 *sp.*
do., Greece, 1 *sp.*
do., *var.* janthina? *Bdv.*, 1 *sp.*
do., *var.*, Syria, 2 *sp.*
cynaræ, *Esp.*, Hungary, 5 *sp.*
centaureæ, *Fisch.*, South of Russia, 3 *sp.*
anthyllidis, *Bd.*, Pyrenees, 4 *sp.*
exulans, *Esp.*, Switzerland, 6 *sp.*
do., *var.* vanadis, Lapland, 5 *sp.*
trifolii, *Esp.*, France, 5 *sp.*
syracusia, *Zell.*, Italy, 4 *sp.*
laphria, *Fr.*, Turkey, 1 *sp.*
australis, *Bdv.*, Andalusia, 2 *sp.*
meliloti, *Esp.*, Berlin, 7 *sp.*
angelicæ, *Och.*, Saxony, 8 *sp.*
loniceræ, *Esp.*, Central France, 6 *sp.*
filipendulæ, *L.*, Central France, 4 *sp.*
do., *var.* ochsenheimeri, *Zell.* (transalpina, *Hb.*), Eastern Pyrenees, 5 *sp.*
do., *var.* mannii, *H.S.*, Alps, 2 *sp.*
hippocrepidis, *Och.*, Paris, 7 *sp.*
transalpina, *Esp.* (ferulæ, *Led.*), Swiss Alps, 6 *sp.*
do., Ratisbon, 4 *sp.*
dorycnii, *Och.*, Caucasus, 5 *sp.*
kadenii, *Led.*, Caucasus, 4 *sp.*
dubia, *Staud.* (charon, *Bdv.*), Eastern Pyrenees, 6 *sp.*

ZYGÆNA—*continued.*

stœchadis, *Bdv.* (lavandulæ, *H.*), Andalusia, 7 *sp.* (*the variation in the amount of red in the underwing considerable.*)
lavandulæ, *Fab.*, Andalusia, 9 *sp.* (1 *body gone.*)
unnamed, Greece, 2 *sp.*
unnamed, Corsica, 5 *sp.*
ephialtes, *Fab.*, Austria, 4 *sp.*
do., *var.* falcatæ, *Hub.*, 4 *sp.*
do., *var.* trigonellæ, *Esp.*, 3 *sp.*
do., *var.* coronillæ, *Hub.*, 4 *sp.*
do., *var.* peucedani, *Esp.*, Ratisbon, 4 *sp.*
do., *var.* eacus, *F.*, 1 *sp.*
do., *var.* athamantæ, *Esp.*, 1 *sp.*
bætica, *Ramb.*, Spain, 5 *sp.*
hilaris, *Och.*, Vernet, 5 *sp.*
læta, *Esp.*, Hungary, 9 *sp.*
fausta, *L.*, France, 6 *sp.*
unnamed, 1 *sp.*
faustina, *Och.*, Spain, 2 *sp.*
genevensis, *Mill.*, Geneva, 3 *sp.*
ganymedes, *Kind.*, Caucasus, 5 *sp.*
olivieri, *B.*, Caucasus, 3 *sp.*
sedi, *Fab.*, Caucasus, 3 *sp.*
fraxini, *Menetr.*, Russia, 4 *sp.*
cuvieri, *Bdv.*, Syria, 1 *sp.*
unnamed (Mannerheimii, *Silberm.*?) 1 *sp.*
onobrychis, *W.V.*, France 11 *sp.* (*in* 3 *detachments of* 4, 5, *and* 2 *vars.*)
do., *var.* hedysari, *H.*, Austria, 1 *sp.*

**15th Drawer.**

barbara, *H.S.*, 2 *sp.*
occitanica, *Vill.*, Andalusia 10 *sp.* (*in* 3 *detachments of* 2, 6, *and* 2 *vars.*, 1 *larva*, 1 *chrysalis, and pupa case.*)
kiesenwetteri, *H.S.*, Spain, 1 *sp.*
rhadamanthus, *Esp.*, Spain, 9 *sp.*

SYNTOMIDÆ.

SYNTOMIS, *Ill.*

antiochena, *Led.*, Syria, 2 *sp.*
phegea, *L.*, France, 5 *sp.*
do., Sicily, 3 *sp.*
unnamed *var.*, 1 *sp.*
mestralii, *Bugn.*, Palestine, 2 *sp.*

NACLIA, *Bdv.*

ancilla, *Linn.*, South France, 5 *sp.* (3 *m.* 2 *f.*)

NACLIA—*continued.*

hyalina, *Fr.*, Syria, 2 *sp.*
famula, *Fr.*, Greece, 1 *sp.*
punctata, *Fab.*, Greece, 4 *sp.*

**BOMBYCES.**

LITHOSIDÆ.

NOLA, *Leach.*

confusalis, *H.S.*, Berlin, 3 *sp.*
cicatricalis, *Tr.*, Vienna, 3 *sp.*
subchlamydula, *Staud.*, Andalusia, 2 *sp.* (1 *damaged.*)
albula, *Hub.*, Austria, 3 *sp.*
togatulalis, *Hub.*, Vienna, 2 *sp.*
centonalis, *Hub.*, 5 *sp.*
mesogona, *God.*, (*gen.* Paida, *H.S.*), Central France, 2 *sp.*

NUDARIA, *Steph.*

mundana, *L.*, France, 2 *sp.*
murina, *Esp.*, France, 5 *sp.* (1 *body gone.*)

SETINA, *Bdv.*

aurita, *Esp.*, Switzerland, 7 *sp.* (5 *m.* 2 *f.*)
kuhlweinii, *Bdv.*, Austria, 11 *sp.* (7 *m.* 4 *f.*)
ramosa, *F.*, Switzerland, 7 *sp.* (5 *m.* 2 *f.*)
anderreggii, *H.S.*, Swiss Alps, 2 *sp.*
do., *var.* riffilensis, *Gn.*, Riffel, 5 *sp.*
irrorella, *Linn.*, Saxony, 3 *sp.* (2 *m.* 1 *f.*)
flavicans, *Bdv.*, Southern France, 7 *sp.* (6 *m.* 1 *f.*)
roscida, *F.*, Hungary, 7 *sp.* (6 *m.* 1 *f.*)
melanomos, *Nick.*, Hungary, 6 *sp.* (1 *very much damaged.*)
mesomella, *L.*, Ratisbon, 1 *sp.*

LITHOSIA, *Bdv.*

muscerda, *Hfn.*, Bavaria, 4 *sp.* (*poor.*)
griseola, *Hb.*, Paris, 1 *sp.*
depressa, *Esp.* (helveola, *Och.*), Hungary, 4 *sp.*
vitellina, *Tr.*, Paris, 2 *sp.*
do., Corsica, 2 *sp.*
do., 2 *sp.*
pallifrons, *Zell.*, Saxony, 5 *sp.*
luteola, *Hub.*, Ratisbon, 9 *sp.*
caniola, *Hb.*, Central France, 4 *sp.*
aureola, *Hb.*, Vienna, 4 *sp.*
complana, *L.*, Vienna, 6 *sp.*
complanula, *Bdv.*, Ratisbon, 6 *sp.*

LITHOSIA—*continued.*

arideola, *Hering.*, Germany, 11 *sp.*
unita, *Hb.*, Ratisbon, 6 *sp.*
cereola, *Hb.*, Lapland, 5 *sp.*
rubricollis, *L.*, (*gen.* Gnophria, *Steph.*), Paris, 2 *sp.*

ARCTIIDÆ.

EMYDIA, *Bdv.*

cribrum, *Linn.*, France, 2 *sp.* (1 *m.* 1 *f.*)
do., *var.* albida, (candida *Cyr.*?), Chateaudun, 2 *sp.* (1 *m.* 1 *f.*)
bifasciata, *Ramb.*, Corsica, 2 *sp.* (1 *m.* 1 *f.*)
coscinia, *O.*, Corsica, 2 *sp.* (*m.*)
grammica, *Hb.*, Berlin, 7 *sp.* (4 *m.* 3 *f.*)

DEIOPEIA, *Curt.*

pulchra, *Esp.*, (pulchella, *L.*), Andalusia, 11 *sp.*

NEMEOPHILA, *Steph.*

cervina, *Fall.*, Riffel, 5 *sp.* (*and* 1 *larva.*)
quenselii, *Payk.*,* Zermatt, 5 *sp.* (*and* 1 *larva.*)
metelkana, *Led.*, Hungary, 1 *sp.*
plantaginis, *Linn.*, Germany, 3 *sp.* (1 *m.* 2 *f.*)
do., *var.*, Switzerland, 3 *m.*
do., *var.* hospita, *W.*, Swiss Alps, 4 *sp.*

CALLIMORPHA, *Bdv.*

dominula, *L.*, Vienna, 2 *sp.*
hera, *L.*, Caucasus, 2 *sp.*
do., France, 4 *sp.* (1 *with yellow under-wing.*)

CHELONIA, *Latr.*

villica, *L.*, 3 *sp.* (2 *m.* 1 *f.*)
do., Vienna, 3 *sp.* (2 *m.* 1 *f.*)
do., *var.* fulminans, *Std.*, Vienna, 1 *sp.* (*f.*)
do., *var.* angelica, *Bd.*, Corsica (1 *f.*)
fasciata, *Esp.*, Hungary, 5 *sp.* (2 *m.* 3 *f.*)
hebe, *L.*, Central France, 9 *sp.* (3 *m.* 6 *f.*)
purpurea, *L.*, Southern France, 8 *sp.* (2 *m.* 6 *f.*)
pudica, *Esp.*, (*gen.* Euprepia, *H.S.*, Andalusia, 9 *sp.* (1 *body dilapidated.*)

* The species cervina and quenselii are placed by Staudinger among the Cheloniæ.

CHELONIA—*continued.*

spectabilis, *Tausch* (intercisa, *Dup.*), South of Russia, 7 *sp.* (4 *m.* 3 *f.*, *of which one without the head.*)
casta, *F.*, Hungary, 2 *f.*
honesta, *Fr.*, Switzerland, 2 *m.*
maculosa, *F.*, Bavaria, 5 *sp.* (3 *m.* 2 *f.*)
simplonica, *Bdv.*, Switzerland, 1 *m.*
aulica, *Linn.*, Bavaria, 9 *sp.* (5 *m.* 4 *f.*)
civica, *Hb.* (curialis, *O.*), Central France, 6 *sp.* (3 *m.* 3 *f.*)
lapponica, *Th.*, Lapland, 2 *sp.* (1 *f.* 1 *dilapidated.*)

**16th Drawer.**

caja, *Linn.*, Paris, 2 *sp.*
matronula, *L.*, Hungary, 4 *sp.* (1 *dilapidated.*)

TRICHOSOMA, *Ramb.* (OCNOGYNA, *Ld.*)

bœticum, *Ramb.*, Spain, 3 *sp.*
corsicum, *Ramb.*, Corsica, 9 *sp.* (8 *m.* 1 *f.*)
parasitum, *Esp.*, Eastern Pyrenees, 2 *sp.* (1 *m. and* 1 *f.*)
hemigenum, *Grasl.*, Austria, 6 *sp.* (3 *m.* 3 *f.*)
nogellii, *Led.*, Caucasus, 1 *sp.* (1 *f.*)

ARCTIA, *Bdv.* (SPILOSOMA, *Steph.*)

fuliginosa, *L.*, Paris, 2 *sp.*
luctifera, *Fab.*, Germany, 8 *sp.* (4 *m.* 4 *f.*, 1 *damaged.*)
luctuosa, *Hub.*, Berlin, 2 *sp.* (1 *m.* 1 *f.*)
sordida, *Hub.*, Vienna, 7 *sp.* (3 *m.* 4 *f.*)
mendica, *L.*, Northern France, 2 *sp.* (1 *m.* 1 *f.*)
urticæ, *Esp.*, Saxony, 3 *sp.*

HEPIALIDÆ.

HEPIALUS, *Fab.*

carnus, *Esp.*, Austrian Alps, 6 *sp.*
sylvinus, *L.*, 4 *sp.*
lupulinus, *L.*, 4 *sp.*

COSSIDÆ, *H.S.* (ZEUZERIDÆ, *Bdv.*)

COSSUS, *Bdv.*

terebra, *Fab.*, Germany, 4 *sp.* (2 *m.* 2 *f.*, 1 *body of f. gone.*)

HYPOPTA, *Hub.*
thrips, *Hub.*, South of Russia, 4 *m.*
STYGIA, *Latr.*
australis, *Latr.*, Southern France, 3 *sp.*
ENDAGRIA, *Bdv.*
pantherina, *Bdv.*, Hungary, 4 *sp.* (3 *of which poor specimens.*)
CHIMÆRA, *Bdv.*
appendiculata, *Esp.*, Southern France, 5 *sp.* (4*m.* 1 *f.*)
nana, *Tr.*, Turkey, 2 *sp.* (1 *body gone.*)

HETEROGYNIDÆ, *H.S.**
HETEROGYNIS, *R.*
penella, *Hub.*, Dijon, 10 *sp.* (5 *cases, and two parasites from do.*, 4 *damaged.*)
do., *var.* erotica, *Gn.*, Dijon, 1 *sp.*
affinella, *Ramb.*, (? affinis, *R.*) 1 *sp.* (*and* 1 *case.*)

PSYCHIDÆ, *Bdv.*
PSYCHE, *Br.*
politella, *Och.*, 2 *sp.* (1 *case, and* 1 *f.*)
pseudobombycella, *Och.* (4 *m. with their cases, three of which are damaged, and* 4 *f. and* 5 *cases.*)
graslinella, *Boisd.* (atribombycella, *Bruand*, atra, *H.S.*), 2 *sp. and* 2 *cases.*)
apiformella, *B.*, 1 *sp.* (3 *cases.*)
do., *var.* siculella, *Brd.*, Corsica, 1 *sp.* (1 *case.*)
constancella, *Bd.* (2 *m.*, 2 *f. with cases, and* 2 *cases.*)
viciella, *W.V.*, *var.* stettinella, *Br.* (2 *m.* 2 *f. and* 3 *cases.*)
albida, *Esp.* (vitrella, *Hn.*, albivitrella, *Br.*), (5 *m.* 2 *f. and* 7 *cases.*)
plumosella, *Ramb.* (2 *m. and* 2 *cases.*)
febrettella, *Br.* (1 *m.* 1 *f. and* 2 *cases.*)
villosella, *Och.* (nigricans, *Cust.*), (1 *m. and* 2 *cases.*)
do., *var.* cinerella, *Dup.* (1 *m.* 1 *f. and* 1 *case.*)
do. (?), Basses Alpes. ( 1 *case.*)

PSYCHE—*continued.*
magniferella, *Br.* (villosella, *O.*, *var.*), (2 *cases.*)
graminella, *W.V.* (unicolor, *Hufn.*, *var.* ?) (4 *m. and* 3 *cases.*)
eckstenii, *Led.* (1 *m. and* 1 *case.*)
opacella, *H.S.* (1 *m.*, 1 *f. and* 1 *case.*)
zelleri, *Led.* (1 *m. and* 1 *case.*)
malvinella, *Led.* (1 *m.*)
angustella, *H.S.* (stomoxella, *Boisd.*), (6 *m.* 5 *f. and* 8 *cases.*)
bicolorella, *Brd.* ( 3 *m.*)
hirsutella, *Hb.* (1 *m.*)
mediterranea, *Led.* (massilialella, *Bd.*), (4 *m. and* 1 *case.*)
muscella, *W.V.* (3 *m.*)
unnamed, Lyons (1 *m.*)
tabanella, *Brd.* (1 *m.*)
sicheliella, *Brd.* (4 *m.* 1 *broken.*)
plumistrella, *Hub.* (2 *m. and* 2 *cases.*)
calvella, *Och.* (fusca, *H.*), (2 *m.* 1 *f. and* 3 *cases.*)
helicinella, *H.S.*, 4 *sp.* (*cases or females.*)
crenulella, *Brd.* (1 *m.*)
perlucidella, *Brd.* (pectinella, *W.V. var.*), (1 *m.*)
suriens, *Reutti* (3 *m.* 1 *f. and* 4 *cases.*)
nudella, *Och.* (3 *cases.*)
tarnierella, *Bd.* (1 *m.*)
seiboldii, *Reut.* (1 *m.*)
gruneriella, *Bd.* (1 *m. and* 1 *pupa case.*)
nov. spec., near pulla, Montpelier (1 *m.*)
bombycella, *Och.* (1 *m.* 1 *f. and* 3 *cases.*)
rotundella, *Bd.* (1 *m.*)
pulla, *Esp.* (2 *m.* 3 *f. and* 3 *cases.*)
radiella, *C.*, England (1 *m.*)
crassiorella, *Bd.* (5 *m.* 3 *f. and* 4 *cases.*)
intermediella, *Br.* (1 *m.* 2 *cases.*)
comitella, *Br.* (3 *m.* 3 *f. and* 6 *cases.*)
salicolella, *Br.* (3 *m.* 2 *f. and* 4 *cases.*)
nitidella, *Och.* (1 *m.*)
roboricolella, *Br.* (1 *m. and* 1 *case.*)
do., *var.?* (1 *m.*)
unnamed, Marseilles (1 *m. and* 1 *case*).
tabulella, *Gn.* (2*m.* 1 *f. and* 3 *cases.*)

* Mr. Stäudinger separates this genus from the Psychidæ, making it a distinct family coming after the Thyrididæ.

lapidicella, *Gn.* (pectinella, *Dup.*), 2 *m. and* 3 *cases.*)
conspurcatella, *Z.* (1 *m.*)
lichenella, *Linn.* (1 *m. and* 2 *cases.*)
triquetrella, *Fisch.* (1 *m.* 1 *f. and* 2 *cases.*)
inconspicuella (1 *m. and* 1 *case*).
anicanella (1 *f. and* 1 *case*).
liguliformella, *Br.* (1 *f. and* 1 *case.*)
species unknown (*larv. with green heads*, 2 *cases*).
species unknown, Montpelier (1 *case*).
species unknown, Montpelier (1 *case*).
species unknown, apparently near bombycella (2 *cases*).
unnamed (2 *cases*).
unnamed (2 *cases*).
species unknown on the Pine, Besancon (1 *case*).
zelleri, *Led.* (*gen.* Fumea, *H. B.*, 1 *case.*)
*a specimen of a case of* Melasina ciliaris (*one of the Tineina*).

PSYCHOIDES, *Br.*

verhuella, *Heyd.* (3 *m. and* 3 *cases.*)
*a card with* 4 *wings*, 1 *or* 2 *of* intermediella, *Brd.*, 1 salicolella, *Brd.*, *and* 1 comitella, *Brd.*
serenella, *Brd.* (1 *case*).

LIPARIDÆ, *Bdv.*

LIPARIS, *O.*

morio, *L.*, (*gen.* Pentophora, *Steph.*), Germany, 4 *sp.* (2 *m.* 2 *f.*, *body dilapidated.*)
rubea, *Fab.* (*gen.* Ocneria, *H.S.*), Saxony, 6 *sp.* (3 *m.* 3 *f.*)
detrita, *Esp.* (*gen.* Ocneria, *H. S.*) Germany, 6 *sp.* (3 *m.* 3 *f.*)
terebynthi, *Tr.* (*gen.* Ocneria, *H. S.*), Hungary, 4 *sp.* (2 *m.* 2 *f.*)
dispar, *Linn.* (*gen.* Psilura, *Steph.*), Paris, 2 *sp.* (*m. and f.*)
monacha, *Linn.* (*gen.* Ocneria, *H. S.*), Northern France, 2 *sp.* (1 *m.* 1 *f.*)
do., *var.* eremita, *Hub.*, Germany, 2 *m.* (*greasy.*)

ORGYIA, *O.*

v.-nigrum, *F.* (*gen.* Laria, *H. B.*), Austria, 4 *sp.* (2 *m.* 2 *f.*, *males greasy.*)
cænosa, *Hub.* (*gen.* Laelia, *Steph.*), Berlin, 4 *sp.* (2 *m.* 2 *f.*)

**17th Drawer.**

abietis, *Esp.* (*gen.* Dasychira, *Steph.*), Germany, 2 *sp.* (1 *m.* 1 *f.*)
selenitica, *Esp.* (*gen.* Dasychira, *Steph.*), Saxony, 5 *sp.* (4 *m.* 1 *f.*)
trigotephras, *Boisd.*, South. France, 9 *sp.* (5 *m.* 4 *f.*)
ericæ, *Germ.*, Saxony, 4 *sp.* (3 *m.* 1 *f.*)
aurolimbata, *Gn.*, Eastern Pyrenees, 9 *sp.* (8 *m.* 1 *f.*, 1 *f. very bad.*)
dubia, *Hub.*, South of Russia, 4 *m.*
do., *var.* turcica, *Led.*, Turkey, 4 *sp.* (2 *m.* 2 *f.*, *the f. very bad.*)

BOMBYCIDÆ, *Bdv.*

BOMBYX, *Bdv.*

neustria, *L.*, Central France, 4 *sp.* (2 *m. and* 2 *f. and* 1 *larva.*)
castrensis, *L.*, Paris, 2 *sp.* (1 *m.* 1 *f.*)
do., Berlin, 4 *sp.* (2 *m.* 2 *f. and* 1 *larva.*)
everia, *Knoch.*, Ratisbon, 9 *sp.* (4 *m.* 5 *f.*)
catax, *L.*, France, 6 *sp.* (2 *m.* 4 *f.*)
lanestris, *L.*, Vienna, 2 *sp.* (1 *m.* 1 *f.*)
loti, *Hb.*, Spain, 7 *sp.* (4 *m.* 3 *f.*)
dorycnii, Southern France, 6 *sp.* (3 *m.* 3 *f.*)
franconica, *Fab.*, Swiss Alps, 6 *sp.* (3 *m.* 3 *f.*)
cratægi, *L.*, Switzerland, 2 *sp.* (1 *m.* 1 *f.*)
neogena, *Fisch.*, Russia, 2 *sp.* (1 *m.* 1 *f.*)
processionea,* *L.*, Central France, 8 *sp.* (5 *m.* 3 *f. and* 1 *larva.*)
solitaris, *Kind.*, Turkey, 4 *sp.* (2 *m.* 2 *f.*)
pityocampa, *Fab.*, Bavaria, 5 *sp.* (2 *m.* 3 *f.*)
pinivora, *Tr.*, Berlin, 2 *sp.* (1 *m.* 1 *f.*)
taraxaci, *Fab.*, Southern France, 5 *sp.* (3 *m.* 2 *f.*)
dumeti, *L.*, France, 4 *sp.* (2 *m.* 2 *f.*)
callunæ, *Palm.*, Bavaria, 1 *m. and* 1 *larva*), Britain.
do., Berlin, 2 *sp.* (1 *m.* 1 *f. and* 1 *larva*), Britain.
quercus, *L.*, Paris, 2 *sp.* (1 *m.* 1 *f. and larva.*)

* The species processionea, solitaris, pityocampa, and pinivora are placed by Stäudinger among the Notodontidæ as Stephen's genus Cnethocampa.

BOMBYX—*continued.*

spartii, *Hub.*, South of France, 5 *sp.* (2 *m.* 3 *f.* *and* 2 *larvæ*, 1 *young*, 1 *old.*)
quercus or spartii (?), Barcelona, 3 *sp.* (2 *m.* 1 *f.*)
trifolii, *F.*, Vienna, 2 *sp.* (1 *m.* 1 *f.*, *m. greasy.*)
do., Corsica, 2 *sp.* (1 *m.* 1 *f.*)
cocles, *Hb.*, Sicily, 2 *sp.* (1 *m.* 1 *f.*)
eversmanni, *Fr.*, South of Russia, 2 *sp.* (1 *m.* 1 *f.*)

ODONESTIS, *Latr.*

potatoria, *Linn.*, Ratisbon, 2 *sp.* (1 *m.* 1 *f.* *and* 1 *larva.*)
lobulina, *Hub.*, Saxony, 4 *sp.* (2 *m.* 2 *f.* 3 *slightly broken.*)
pruni, *Linn.*, Southern France, 5 *sp.* (1 *m.* 4 *f.*; 1 *m.* *and* 1 *f.* *slightly broken.*)
do., *var.*, 2 *sp.* (1 *m.* 1 *f.*)
betulifolia, *F.*, France, 3 *sp.* (2 *m.* 1 *f.*)
ilicifolia, *L.*, Central France, 1 *m.*
populifolia, *Fab.*, France, 3 *sp.* (2 *m.* 1 *f.* *all slightly broken.*)
quercifolia, *L.*, Austria, 2 *sp.* (1 *m.* 1 *f.*)
alnifolia, *Och.*, Germany, 2 *sp.* (1 *m.* 1. *f.*)
pini, *Linn.*, Paris, 6 *sp.* (3 *m.* 3 *f.*, 1 *f.* *slightly broken.*)

**18th Drawer.**

MEGASOMA, *Bdv.*

otus, *Drury*, Turkey, 5 *sp.* (3 *m.* 2 *f.*, 1 *f.* *broken.*)
lineosa, *Bdv.*, Spain, 5 *sp.* (3 *m.* 2 *f.* 1 *f.* *with half of body gone.*)
repandum, *Hb.*, Spain, 2 *sp.* (1 *m.* 1 *f.*, *the latter broken.*)

ENDROMIS, *Och.*

versicolor, *L.*, Northern France, 2 *sp.* (1 *m.* 1 *f.*)

SATURNIA, *Schr.*

pyri, *Bork.*, Paris, 3 *sp.* (2 *m.* 1 *f.*)
boisduvalii, *Ev.*, South of Russia, 1 *f.*
spini, *Bork.*, Germany, 8 *sp.* (3 *m.* 5 *f.*)
carpini, *Bork.*, Central France, 4 *sp.* (2 *m.* 2 *f.*)
cæcigena, *Hb.*, Spain, 4 *sp.* (2 *m.* 2 *f.*)

AGLIA, *Och.*

tau, *L.*, Berlin, 9 *sp.* (5 *m.* 4 *f.*)

DREPANULIDÆ, *Bd.*

PLATYPTERYX, *Lasp.*

curvatula, *Lasp.*, Vienna, 2 *m.* (1 *broken.*)
sicula, *Hub.*, Berlin, 4 *sp.* (2 *m.* 2 *f.*)
hamula, *Esp.*, Ratisbon, 2 *sp.* (1 *m.* 1 *f.*)
do., *var.*, Germany, 1 *m.*

NOTODONTIDÆ, *Bdv.*

DICRANURA, *Latr.* (HARPYIA, *O.*)

verbasci, *God.*, Southern France, 4 *sp.* (1 *m.* 3 *f.*)
vinula, *L.*, Paris, 2 *sp.* (1 *m.* 1 *f.*)
erminea, *Esp.*, Central France, 5 *sp.* (2 *m.* 3 *f.*)

HARPYIA, *Och.* (HYBOCAMPA, *L.*)

milhauseri, *Fab.*, Germany, 2 *sp.* (1 *damaged.*)

ASTEROSCOPUS, *Bdv.*

nubeculosa, *Esp.*, Northern France, 2 *sp.**

UROPUS, *Ramb.*

ulmi, *W. V.*, Austria, 6 *sp.* (3 *m.* 3 *f.*)

LEIOCAMPA, *Steph.*

dictæoides, *Esp.*, France, 2 *sp.*
dictæa, *Lin.*, France, 3 *sp.*

NOTODONTA, *Och.*

tritophus, *Fab.*, Paris, 5 *sp.* (2 *m.* 3 *f.*)
dromedarius, *Lin.*, Vienna, 2 *sp.* (1 *m.* 1 *f.*)
ziczac, *Lin.*, Northern France, 2 *sp.*
torva, *Och.*, Northern France, 4 *sp.* (3 *m.* 1 *f.*)

PTILODONTIS, *Steph.*

palpina, *Lin.*, Paris, 2 *sp.* (1 *m.* 1 *f.*)

LOPHOPTERYX, *Steph.*

camelina, *L.*, Central France, 3 *sp.*
cucullina, *W. V.*, Berlin, 1 *sp.* (*m.*)
melagona, *Bork.*, (*gen.* Drynobia, *Dup.*) 5 *sp.* (2 *m.* 3 *f.*)
bicoloria, *F.*, (*gen.* Microdonta, *Dup.*) Saxony, 6 *sp.* (*all bad.*)

* Placed by Staudinger doubtfully among the Noctuæ.

LOPHOPTERYX—*continued.*
argentina, *Fab.*, (*gen.* Spatalia, *H.S.*) Hungary, 6 *sp.* (2 *m.* 4 *f.* 1 *m. bad.*)
velitaris, *Esp.*, (*gen.* Drynobia, *Dup.*) Austria, 7 *sp.* (4 *m.* 3 *f.*)

**19th Drawer.**

PTILOPHORA, *Steph.*
plumigera, *F.*, Saxony, 2 *sp.* (1 *m.* 1 *f.*)

DRYMONIA, *H.S.*
dodonæa, *W.V.*, Ratisbon, 2 *sp.* (1 *m.* 1 *f.*)
chaonia, *H.B.*, Vienna, 2 *sp.* (1 *m.* 1 *f.*)
querna, *W.V.*, Germany, 4 *sp.* (2 *m.* 2 *f.*)

GLUPHISIA, *Bdv.*
crenata, *Esp.*, Berlin, 4 *sp.* (3 *m.* 1 *f.*, 1 *m. broken.*)

PYGÆRA, *Bdv.*
bucephala, *L.*, France, 1 *m.*
bucephaloides, *H.*, 6 *sp.* (3 *m.* 3 *f.*, *males greasy.*)

CLOSTERA, *Hoffm.*
anastomosis, *L.*, Austria, 6 *sp.* (2 *m.* 4 *f.*)
anachoreta, *W.V.*, France, 3 *sp.* (2 *m.* 1 *f.*)
curtula, *L.*, Paris, 3 *sp.* (1 *m.* 2 *f.*)
reclusa, *F.*, France, 2 *sp.*

NOCTUÆ.

PSEUDO BOMBYCIDÆ.

CYMATOPHORIDÆ.

CYMATOPHORA, *Tr.* (ASPHALIA, *Hb.*)
ruficollis, *W.V.*, Vienna, 4 *sp.*
ridens, *Fab.*, England, 2 *sp.*
do., Bavaria, 2 *sp.*
unnamed, 2 *sp.*

EOGENA, *Led.*
contaminei, *Kind.*, South of Russia, 1 *sp.*

COLOCASIA, *Och.* (CLIDIA, *B.*)
chamæsyces, *Gn.*, Southern France, 2 *sp.*
geographica, *Fab.*, Central France, 4 *sp.*

SIMYRA, *Och.*
nervosa, *W.V.*, Hungary, 5 *sp.* (2 *m.* 3 *f.*)

SIMYRA—*continued.*
argentacea, *H.S.*, South of Russia, 1 *sp.*
venosa, *Bork.* (*gen.* Arsilonche, *Led.*), Stettin, 2 *sp.*

ACRONYCTA, *Och.*
leporina, *L.*, Austria, 6 *sp.*
euphrasiæ, *Dup.*, Central France, 2 *sp.*
abscondita, *Tr.*, Berlin, 3 *sp.*
euphorbiæ, *W.V.*, Saxony, 5 *sp.*
do., *var.* montivaga, *Gn.*, Swiss Alps, 4 *sp.*
myricæ, *Gn.*, 2 *sp.*
megacephala, *W.V.*, Vienna, 6 *sp.*
cuspis, *Hb.*, Austria, 4 *sp.*
psi, *Linn.*, France, 2 *sp.*
tridens, *Rœsl.*, Saxony, 6 *sp.* (1 *body gone.*)
auricoma, *Rœsl.*, Saxony, 8 *sp.*

BRYOPHILA, *Tr.*
fraudatricula, *H.*, Vienna, 6 *sp.* (1 *damaged.*)
ereptricula, *Tr.*, Vienna, 2 *sp.*
ravula, *Hb.* (lupula, *Dup.*), Austria, 2 *sp.*
mæonis, *Led.*, Syria, 3 *sp.*
deceptricula, *Hb.* (*var.* raptricula, *Hb.*), 3 *sp.*
receptricula, *Hb.*, Austria, 2 *sp.*
algæ, *Fab.*, Paris, 7 *sp.*
glandifera, *W.V.*, Corsica, 6 *sp.*

DIPHTERA, *Och.*
ludifica *L.*, (*gen.* Panthea, *Hb.*), Saxony, 6 *sp.* (1 *damaged*).
cœnobita, *Esp.*, Germany, 4 *sp.*

AGROTIS, *Och.*
præcox, *L.*, Central France, 1 *sp.*
fimbriola, *Esp.*, Austria, 5 *sp.*
agathina, *Dup.*, Southern France, 2 *sp.*
trux, *Hub.*, 5 *sp.* (3 *m.* 2 *f.*)
do., *var.* terranea, *Frey.*, Southern France, 2 *f.*
cinerea, *W.V.*, Switzerland, 1 *sp.*
molothina, *Esp.* (ericæ, *Bdv.*), Vernet, 3 *sp.*
lidia, *Cram.*, Germany, 2 *sp.*
recussa, *Hub.*, Austria, 6 *sp.*
polygona, *W.V.*, Swiss Alps, 5 *sp.*
multangula, *Hb.*, Vernet, 6 *sp.*
fennica, *Ev.*, Russia, 1 *sp.*
grammiptera, *Dup.*, Eastern Pyrenees, 4 *sp.*
obesa, *Bdv.*, Andalusia, 1 *sp.*

AGROTIS—*continued.*

larixia, *Gn.*, French Alps, 1 *sp.*
ocellina, *W. V.*, Swiss Alps, 6 *sp.*
alpestris, *Bdv.*, Switzerland, 6 *sp.*
rectangula, *W. V.*, Vienna, 2 *sp.*
do., *var.* anderreggii, *Bdv.*, Russia, 2 *sp.*
christophi, *Stäud.*, South of Russia, 2 *sp.*
celsicola, *Bellier*, French Alps, 1 *sp.*
signifera, *W. V.*, Saxony, 6 *sp.*
graslinii, *Ramb.*, 4 *sp.* (2 *m.* 2 *f.*)
crassa, *Hub.*, Austria, 3 *sp.* (1 *m.* 2 *f.*)
agricola, *Bdv.*, South France, 2 *sp.*
labyrinthica, *Stäud.*, French Alps, 2 *sp.* (1 *m.* 1 *f.*)
islandica, *Stäud.*, 3 *sp.*
aquilina, *W. V.*, Ratisbon, 4 *sp.* (2 *m.* 2 *f.*)
tritici, *Linn.*, Austria, 2 *sp.*
eruta, *Hub.*, 2 *sp.*
vitta, *Esp.*, Switzerland, 4 *sp.*
senna, *Hub.*, Southern France, 2 *sp.*
puta, *Hb.*, Corsica, 2 *sp.*
nigricans, *Lin.*, Paris, 2 *sp.* (1 *m.* 1 *f.*), *and* 1 *apart.*
lunigera, *Steph.*, Southern France, 3 *sp.*
forcipula, *Hb.*, Berlin, 4 *sp.*
erythrina, *Ramb.*, Southern France, 4 *sp.*
cuprea, *W. V.*, Hungary, 4 *sp.*
hastifera, *Don.*, Vernet, 1 *sp.*
obelisca, *W. V.*, Germany, 1 *sp.*
do., *var.* villiersii, *Gn.*, Eastern Pyrenees, 4 *sp.* (2 *m.* 2 *f.*)
cursoria, *Hfn.*, Germany, 2 *sp.*
hyperborea, *Dalm.* (*gen.* Pachnobia, *Gn.*), Lapland, 1 *sp.*
birivia, *W. V.*, Hungary, 1 *sp.*
decora, *W. V.*, Swiss Alps, 6 *sp.*
cos, *Hb.*, Switzerland, 2 *sp.*
sagittifera, *Hb.*, Corsica, 4 *sp.*
ripæ, *Hb.*, Germany, 6 *sp.* (2 *very pale.*)
latens, *Hb.*, Alps, 5 *sp.*
latitans, *Gn.*, Eastern Pyrenees, 2 *sp.*

**20th Drawer.**

nictymera, *Bdv.*, Swiss Alps, 2 *sp.*
pyrophila, *W. V.*, Central France, 1 *sp.*
fugax, *Tr.*, France, 5 *sp.*
lucipeta, *W. V.*, Alps, 3 *sp.*

AGROTIS—*continued.*

renigera, *Dup.*, Eastern Pyrenees, 2 *sp.*
simplonia, *Hb.*, Swiss Alps, 3 *sp.*

APLECTA, *Gn.* (AGROTIS, pars *Stäud.*)

herbida, *W. V.*, *var.* jaspidea, *Bork.*, Germany, 2 *sp.*
speciosa, *Hb.*, North of Russia, 3 *sp.* (1 *imperfect.*)
occulta, *L.*, Germany, 2 *sp.*

HIRIA, *Dup.* (AGROTIS, pars, *Stäud.*)

linogrisea, *W. V.*, Ratisbon, 6 *sp.* (*and a larva.*)

TRIPHÆNA, *Och.* (AGROTIS, pars *Stäud.*)

orbona, *Fab.* (comes, *H.*), Corsica, 3 *sp.*
subsequa, *W. V.*, Northern France, 2 *sp.*
interjecta, *Hb.*, Paris, 2 *sp.*
chardinyi, *Bdv.*, South of Russia, 2 *sp.*

CYREBIA, *Gn.* (AGROTIS, pars *Stäud.*)

anachoreta, *H. S.*, Caucasus, 1 *sp.*

NOCTUA, *Linn.* (AGROTIS, pars *Stäud.*)

candelisequa, *W. V.*, Saxony, 5 *sp.*
depuncta, *L.*, Sweden, 1 *sp.*
triangulum, *Hfn.*, Germany, 1 *sp.*
ditrapezium, *Hb.* (tristigma, *Och.*, *Bdv.*), Vienna, 1 *sp.*
rhomboidea, *Tr.*, Berlin, 3 *sp.*
brunnea, *W. V.*, Austria, 3 *sp.*
sigma, *W. V.*, Vienna, 4 *sp.*
flammatra, *W. V.*, Germany, 5 *sp.*
leucogaster, *Frey.*, Hungary, 6 *sp.*
plecta, *L.*, Paris, 1 *sp.*
musiva, *Hub.*, South of Russia, 4 *sp.*
glareosa, *Esp.* (hebraica, *Hb.*, *Bdv.*), Central France, 2 *sp.*
chaldaica, *Kind.*, Russia, 2 *sp.*
margaritacea, *Bork.* (glareosa, *Tr.*, *Bdv.*), Hungary, 2 *sp.*
bella, *Bork.*, Germany, 2 *sp.*
florida, *Schm.*, Hungary, 1 *sp.* (*body gone.*)
punicea, *Hb.*, Hungary, 2 *sp.*
festiva, *W. V.*, Germany, 3 *sp.*
conflua, *Tr.*, Lapland, 10 *sp.*
sobrina, *Bdv.*, Eastern Pyrenees, 2 *sp.*
neglecta, *Hub.*, *var.* cerasina, *Frey.*, Austria, 3 *sp.*

GLOTTULA, *Gn.* (BRITHYS, *Hub.*)
pancratii, *Cyr.*, Spain, 6 *sp.*
CHARÆAS, *Steph.*
graminis, *L.*, Northern France, 2 *sp.*
PACHETRA, *Gn.*
leucophæa, *W.V.*, Central France, 4 *sp.* (2 *m.* 2 *f.*)
MAMESTRA, *Och.*
persicariæ, *L.*, France, 2 *sp.*
do., *var.* accipitrina, *Esp.*, Austria, 2 *sp.*
serratilinea, *Och.*, Bavaria, 4 *sp.*
tincta, *Brahm.*, Bavaria, 2 *sp.*
advena, *W.V.*, Northern France, 2 *sp.*
albicolon, *Hb.*, Northern France, 2 *sp.*
suasa, *W.V*, Berlin, 2 *sp.*
aliena, *Hb.*, Vienna, 5 *sp.*
splendens, *Hb.*, Hungary, 1 *sp.*
pisi, *L.*, Paris, 1 *sp.*
contigua, *W.V.*, Ratisbon, 4 *sp.*
proxima, *Hb.*, Switzerland, 2 *sp.*
glauca, *Klèem*, Austria, 2 *sp.*
dentina, *W.V.*, *var.* ongspurgeri, *B.*, Vienna, 1 *sp.*
nana, *Gn.* (marmorosa, *Bork.*), Switzerland, 5 *sp.*
peregrina, *Tr.*, Southern France, 5 *sp.*
treitschkii, *Bdv.*, Saxony, 1 *sp.*
sodæ, *Ramb.*, Andalusia, 2 *sp.*
sociabilis, *Grasl.*, South of France, 2 *sp.*
chenopodii, *Albm.*, *Fab.*, North. France, 1 *sp.*
leineri, *Frey.*, Hungary, 1 *sp.*
HECATERA, *Gn.*
dysodea, *W.V.*, Corsica, 1 *sp.*
cappa, *Hb.*, Southern France, 4 *sp.*
NEURIA, *Gn.*
saponariæ, *Esp.*, Saxony, 3 *sp.*
DIANTHŒCIA, *Bd.*
capsophila, *Dup.*, Switzerland, 1 *sp.*
carpophaga, *Bork.*, Germany, 4 *sp.*
echii, *Bork.*, Austria, 5 *sp.*
capsincola, *W.V.*, Berlin, 1 *sp.*
cucubali, *W.V.*, Ratisbon, 1 *sp.*
cæsia, *W.V.*, Switzerland, 6 *sp.*
cana, *Ev.*, North of Russia, 3 *sp.*
albimacula, *Bork.*, Saxony, 6 *sp.* (1 *damaged.*)
conspersa, *W.V.*, Southern France, 2 *sp.* (1 *damaged.*)

DIANTHŒCIA—*continued.*
compta, *W.V.*, Northern France, 5 *sp.*
filigramma, *Esp.*, Switzerland, 2 *sp.*
do., *var.* xanthocyanea, *Hb.*, France, 6 *sp.*
magnolii, *Bdv.*, Southern France, 1 *sp.*
silenes, *Hub.*, Eastern Pyrenees, 2 *sp.*
PHOROCERA, *Gn.*, (METOPOCERAS, *Gn.*)
felicina, *Donz.*, Eastern Pyrenees, 2 *sp.*
ONCOCNEMIS, *Led.*
confusa, *Frey.*, Russia, 5 *sp.*
EPISEMA, *Och.*
trimacula, *W.V.*, 5 *sp.* (3 *m.* 2 *f.*)
do., *var.* unicolor, *Dup.*, Spain, 2 *m.*
scoriacea, *Ræs.*, Southern France, 5 *sp.* (2 *m.* 3 *f.*)
HELIOPHOBUS, *Bdv.*
optabilis, *Bdv.* (*gen.* Cladocera, *Rmb.*), Sicily, 1 *sp.*
hispidus, *Hub.*, Southern France, 3 *sp.*
hirtus, *Hb.* (*gen.* Ulochlæna, *Led.*), Russia, 5 *sp.* (3 *m.* 2 *f.*)
APOROPHYLA, *Gn.*
lutulenta, *W.V.*, Vienna, 2 *sp.* (1 *m.* 1 *f.*)
do., *var.* luneburgensis, *Fr.*, 1 *sp.*
nigra, *Haw.* (æthiops, *Och.*), Northern France, 2 *sp.*
australis, *Bdv.*, Corsica, 4 *sp.*

**21st Drawer.**

AMMOCONIA, *Led.*
cœcimacula, *Fab.*, Saxony, 4 *sp.*
vetula, *Bd.*, Southern France, 2 *sp.*
EPUNDA, *Dup.*
lichenea, *Hb.*, Northern France, 4 *sp.* (1 *m.* 3 *f.*)
POLIA, *Och.*
suda, *Hb.*, Switzerland, 2 *sp.*
platinea, *Tr.*, French Alps, 3 *sp.*
canescens, *Bdv.*, Central France, 2 *sp.*
do., *var.* asphodeli, *Ramb.*, Corsica, 1 *sp.*
flavicincta, *Ræs.*, generally distributed throughout Europe, 1 *sp.*

POLIA—*continued.*
argillaceago, *Hb.* (venusta, *Bdv.*), France, 2 *sp.*
rufocincta, *Hub.*, Switzerland, 3 *sp.*
nigrocincta, *Och.*, Hungary, 4 *sp.*
do., *var.* nivescens, *Stäud.*, 1 *sp.*
do., *var.* xanthomista, *Hb.* Paris, 2 *sp.*
cœrulescens, *Bdv.*, Marseilles, 4 *sp.*
serpentina, *Tr.*, Bavaria, 1 *sp.*
polymita, *Lin.*, Austria, 6 *sp.*

THECOPHORA, *Led.*
fovea, *Tr.*, Hungary, 5 *sp.* (2 *m.* 3 *f.*, 1 *damaged.*)

DRYOBOTA, *Led.*
occlusa, *Hb.*, Southern France, 4 *sp.* (1 *damaged.*)
saportæ, *Dup.*, Italy, 3 *sp.*
roboris, *G.*, Central France, 4 *sp.*
do., *var.* cerris, *Bdv.*, Central France, 1 *sp.*
monochroma, *Esp.* (distans, *Hb.*), Southern France, 4 *sp.*

DICHONIA, *Hb.*
convergens, *W.V.*, Vienna, 7 *sp.*
æruginea, *Hb.*, Hungary, 5 *sp.*
? chioleuca, *H.S.*, 2 *sp.*

CHARIPTERA, *Gn.*
culta, *W.V.*, Vienna, 5 *sp.*

MISELIA, *Och.*
bimaculosa, *L.*, Central France, 5 *sp.*

VALERIA, *Germ.*
jaspidea, *Vill.*, Southern France, 5 *sp.*
oleagina, *W.V.*, Germany, 5 *sp.*

APAMEA, *Och.*
dumerilii, *Dup.*, Central France, 5 *sp.*
nickerlii, *Fr.* France, 1 *sp.*

CELÆNA, *Steph.*
Haworthii, *Curt.*, South of Russia, 6 *sp.* (3 *m.* 3 *f.*, 1 *imperfect.*)

CERIGO, *Steph.*
cytherea, *F.*, Central France, 2 *sp.*

LUPERINA, *Bdv.*
ferrago, *Ev.*, South of Russia, 2 *sp.*
rubella, *Dup.*, Southern France, 4 *sp.*
virens, *L.*, Saxony, 6 *sp.*
immunda, *Ev.*, Russia, 1 *sp.*
chenopodiphaga, *Rambl.*, Corsica, 4 *sp.*

CRYMODES, *Gn.*
exulis, *Lef.*, Lapland, 3 *sp.* (1 *damaged.*)

HADENA, *Och.*
amica, *Tr.*, North of Russia, 6 *sp.*
satura, *W.V.*, Saxony, 2 *sp.*
adusta, *Esp.*, Austria, 1 *sp.*
solieri, *Bdv.*, Sicily, 4 *sp.*
pernix, *H.G.*, Swiss Alps, 1 *sp.*
maillardi, *H.G.*, Switzerland, 2 *sp.*
gemmea, *Tr.*, Bavaria, 3 *sp.*
rubrirena, *Tr.*, Swiss Alps, 1 *sp.*
arctica, *Bdv.*, Lapland, 1 *sp.*
furva, *W.V.*, French Alps, 2 *sp.*
abjecta, *Hb.*, France, 2 *sp.*
lateritia, *Esp.* (*gen.* Xylophasia, *Steph.*), Vienna, 4 *sp.*
lithoxylæa, *W.V.*, Vienna, 1 *sp.*
sublustris, *Esp.* (musicalis, *Dup.*), Germany, 1 *sp.*
anceps, *Hb.* (infesta, *Tr.*), Paris, 2 *sp.*
rurea, *F.*, 1 *sp.*
do., *var.* alopecurus, *Esp.* (combusta, *Hb.*), Berlin, 2 *sp.*
hepatica, *L.*, Austria, 1 *sp.*
gemina, *Hub.*, Vienna, 4 *sp.*
leucodon, *Ev.*, North of Russia, 1 *sp.*
unanimis, *Hub.*, Paris, 2 *sp.*
leucostigma, *Esp.*, Paris, 2 *sp.*

PERIGEA, *Gn.*
implexa, *Hb.*, Sicily, 2 *sp.*
unnamed, 1 *sp.*

MIANA, *Steph.*
onychina, *H.S.*, Heligoland, 2 *sp.* (*poor*).
furuncula, *W.V.*, Paris, 3 *sp.*
microglossa, *Rambl.*, Andalusia, 2 *sp.*

RHIZOGRAMMA, *Led.* (XYLOPHASIA, pars, *Steph.*)
petrorhiza, *Bork.*, Saxony, 4 *sp.*

CLOANTHA, *Bdv.*
hyperici, *W.V.*, Switzerland, 6 *sp.*
radiosa, *Esp.*, Turkey, 4 *sp.*
perspicillaris, *L.*, Paris, 5 *sp.*

ERIOPUS, *Och.*
pteridis, *Fab.*, Italy, 6 *sp.*
latreillii, *Dup.* (quieta, *Tr.*), Italy, 6 *sp.*

POLYPHÆNIS, *Bdv.*
sericina, *Esp.* (prospicua, *Tr.*), Central France, 5 *sp.*

TRACHEA, *Hb.*
atriplicis, *L.*, Paris, 4 *sp.*
PRODENIA, *Gn.*
retina, *H.S.*, 1 *sp.*
TRIGONOPHORA, *Hub.*
iodea, *Gn.*, Central France, 4 *sp.*
empyrea, *Hb.*, Central France, 3 *sp.*
HABRYNTIS, *Led.*
scita, *Hb.*, Southern France, 2 *sp.*
BROTOLOMIA, *Led.* (PHLOGOPHORA, *Och.*)
MANIA, *Tr.*
NÆNIA, *Steph.*
JASPIDEA, *Bdv.*
celsia, *L.*, Sweden, 4 *sp.*
HYDRÆCIA, *Gn.*
vindelicia, *Frey.*, *var.* petasitis, *Dbd.*, Germany, 2 *sp.*
nictitans, *Linn.*, *var.* lucens, *H.Sch.*, Ratisbon, 2 *sp.*
lunata, *Frey.*, Turkey, 2 *sp.*
GORTYNA, *Och.* (HYDRŒCIA, *Gn.*)
NONAGRIA, *Och.*
nexa, *Hb.*, Northern France, 2 *sp.*
sparganii, *Esp.*, Paris, 4 *sp.*
cannæ, *Tr.*, Central France, 2 *sp.*
neurica, *Hb.*, Hungary, 4 *sp.*
dissoluta, *Tr.* (hessii, *Bdv.*), 2 *sp.*
CŒNOBIA, *Hw.*
despecta, *Tr.*, Germany, 2 *sp.*
SENTA, *Steph.*
ulvæ, *Hb.*, Stettin, 2 *sp.*
do., *var.* bipunctata, *Hw.*, Stettin, 1 *sp.*
STEPHANIA, *Gn.* (MYCTEROPLUS *H.S.*)
puniceago, *Bdv.*, North of Russia, 1 *sp.*
TAPINOSTOLA, *Led.*
hellmanni, *Ev.*, Saxony, 2 *sp.*
fulva, *Hb.*, Saxony, 3 *sp.*
elymi, *Tr.*, Baltic, 4 *sp.*
extrema, *Hub.*, Germany, 1 *sp.*

**22nd Drawer.**

SESAMIA, *Gn.*
nonagroides, *Lef.* (hesperica, *Ramb.*), Spain, 4 *sp.*
ARGYROSPILA, *H.S.*
maculata, *Ev.*, South of Russia, 2 *sp.*

LEUCANIA, *Och.*
vitellina, *Hub.*, Andalusia, 8 *sp.*
turca, *Linn.*, Vienna, 3 *sp.*
lithargyria, *Esp.*, Corsica, 2 *sp.*
albipuncta, *W.V.*, 5 *sp.*
riparia, *Ramb.*, Corsica, 1 *sp.*
amnicola, *Rmb.*, Southern France, 2 *sp.*
loreyi, *Dup.* Italy, 3 *sp.* (1 *bad.*)
straminea, *Tr.*, Ratisbon, 2 *sp.*
zeæ, *Dup.*, Sicily, 6 *sp.*
putrescens, *Hub.*, Spain, 2 *sp.*
punctosa, *Tr.*, Central France, 3 *sp.*
caricis, *Tr.*, 3 *sp.*
obsoleta, *Hb.*, Paris, 5 *sp.*
l.-album, *L.*, Corsica, 5 *sp.*
scirpi, *Bdv.*, Spain, 2 *sp.*
sicula, *Tr.*, South of France, 2 *sp.*
hispanica, *Bell*, Spain, 5 *sp.* (1 *bad.*)
velutina, *Ev.*, Russia, 1 *sp.* (*in bad condition.*)*
pudorina, *W.V.*, Berlin, 2 *sp.*
MITHYMNA, *Och.*
imbecilla, *F.*, Austria, 2 *sp.*
LAPHYGMA, *Gn.*
exigua, *Hb.*, Italy, 2 *sp.*
STILBIA, *Steph.*
anomala, *Haw.*, Northern France, 2 *sp.*
CARADRINA, *Och.*
lenta, *Tr.*, Hungary, 6 *sp.*
respersa, *W.V.*, Vienna, 4 *sp.*
alsines, *Bork.*, Bavaria, 4 *sp.*
infusca, *Const.*, Eastern Pyrenees, 2 *sp.*
taraxaci, *Hb.*, Germany, 3 *sp.*
superstes, *Tr.*, Corsica, 2 *sp.* (1 *bad.*)
do., Ratisbon, 2 *sp.*
ambigua, *W.V.* (plantaginis, *Bdv.*), Berlin, 4 *sp.*
aspersa, *Ramb.*, Corsica, 1 *sp.*
kadenii, *Frey.*, Hungary, 1 *sp.*
terrea, *Frey.*, Hungary, 5 *sp.*
pulmonaris, *Esp.*, Hungary, 5 *sp.*
HYDRILLA, *Bdv.*
palustris, *Hb.*, Germany, 3 *sp.*
gluteosa, *Tr.*, Hungary, 1 *sp.*
uliginosa, *Bdv.*, Hungary, 1 *sp.*
lepigone, *Möschl.*, South Russia, 2 *sp.*
ACOSMETIA, *Steph.*
caliginosa, *Hb.*, Paris, 1 *sp.*

* The Leucanidæ are not in such a good condition as most of the other groups.

AMPHIPYRA, *Och.*
tetra, *Fab.*, Hungary, 1 *sp.*
livida, *W. V.*, Austria, 2 *sp.*
effusa, *Bd.*, Sicily, 4 *sp.*
perflua, *Fab.*, Austria, 4 *sp.*

SYNTOMOPUS, *Gn.* (AMPHIPYRA, pars, *Stäud.*)
cinnamomea, *Kléem*, Bavaria, 4 *sp.*

PERIGRAPHA, *Led.*
I.-cinctum, *W. V.*, Austria, 6 *sp.*

TÆNIOCAMPA, *Gn.*
instabilis, *Rœsl.*, Berlin, 3 *sp.*
opima, *H.*, Berlin, 3 *sp.*

MESOGONA, *Bdv.*
acetosellæ, *W. V.*, Central France, 6 *sp.*
oxalina, *Hb.*, Austria, 3 *sp.*

HIPTELIA, *Gn.*
ochreago, *Hb.*, Austria, 4 *sp.* (2 *m.* 2 *f.*)

CALYMNIA, *Hb.*
diffinis, *L.*, Paris, 1 *sp.*

COSMIA, *Och.* (EUPERIA, *Gn.*)
contusa, *H.S.*, Saxony, 2 *sp.*
abluta, *Hb.*, Hungary, 5 *sp.*

DYSCHORISTA, *Led.*
suspecta, *Hub.*, Ratisbon, 1 *sp.*
ypsilon, *W. V.*, Northern France, 1 *sp.*

PLASTENIS, *Bd.* (TETHEA, *Och.*)
subtusa, *W. V.*, Vernet, 2 *sp.*

CIRRŒDIA, *Gn.*
ambusta, *W. V.*, Southern France, 4 *sp.*
xerampelina, *Hb.*, Central France, 4 *sp.*

ANCHOCELIS, *Gn.*

ORTHOSIA, *Och.*
ruticilla, *Esp.*, Southern France, 2 *sp.*
lævis, *Hb.*, Saxony, 4 *sp.*
pistacina, *W. V.*, Saxony, 3 *sp.*
hæmatidea, *Dup.*, France, 2 *sp.*
nitida, *W. V.*, France, 5 *sp.*
humilis, *W. V.*, Vienna, 2 *sp.*

XANTHIA, *Och.*
aurago, *W. V.*, Vienna, 6 *sp.*
cerago, *W. V.*, Ratisbon, 1 *sp.*
silago, *Hb.*, Berlin, 1 *sp.*
sulphurago, *W. V.*, Austria, 4 *sp.* (1 *body gone.*)

XANTHIA—*continued.*
gilvago, *Esp.*, Central Europe? 7 *sp.*
do., *var.* palleago, *Hb.*, Central France, 2 *sp.*
ocellaris, *Bork.* (russago, *Bdv.*), Central France, 8 *sp.*

ORRHODIA, *Hb.* (CERASTIS, *Och.*)
serotina, *Tr.*, Vienna, 2 *sp.*
vaccinii, *L.*, Vienna, 4 *sp.*
unnamed, 1 *sp.*
spadicea, *W. V.*, 1 *sp.*
do., *var.* brigensis, *Bdv.*, Southern France, 3 *sp.*
veronicæ, *Hb.* (dolosa, *Hb.*), Ratisbon, 4 *sp.*
erythrocephala, *W. V.*, Central Europe? 4 *sp.*
do., *var.* glabra, *W. V.*, Ratisbon, 2 *sp.*
silene, *W. V.*, Austria, 5 *sp.*
buxi, *Bdv.*, Southern France, 2 *sp.*

DASYCAMPA, *Gn.*
rubiginea, *W. V.*, Paris, 3 *sp.*

SCOPELOSOMA, *Curt.*

SCOLIOPTERYX, *Gn.* (GONOPTERA, *Latr.*)

XYLINA, *Och.*
lapidea, *Hb.*, Germany, 3 *sp.*
conformis, *W. V.*, Central France, 5 *sp.*
ingrica, *H.S.*, North of Russia, 2 *sp.*
zinckenii, *Tr.*, Sweden, 3 *sp.*
do., *var.* somniculosa, *Hering.*, Berlin, 2 *sp.*
do., Lapland, 2 *sp.*
rhizolitha, *Fab.*, Berlin, 2 *sp.*
petrificata, *W. V.*, Paris, 1 *sp.*

XYLOMYGES, *Gn.*
conspicillaris, *W. V.*, Germany? 4 *sp.*
do., *var.* melaleuca, *Wiev.*, Germany, 2 *sp.*

SCOTOCHROSTA, *Led.*
pulla, *W. V.*, Hungary, 3 *sp.*

LITHOCAMPA, *Gn.*
ramosa, *Esp.*, Hungary, 1 *sp.*

CALOPHASIA, *Steph.*
linariæ, *Fab.*, Paris, 6 *sp.*
platyptera, *Esp.*, Spain, 6 *sp.*
unnamed, Southern France, 6 *sp.*

CLEOPHANA, *Bdv.*
anarrhini, *Bdv.*, Southern France, 4 *sp.*

CLEOPHANA—*continued.*
antirrhini, *Hub.*, Austria, 6 *sp.*
dejeanii, *Dup.*, Andalusia, 6 *sp.*
yvanii, *Dup.*, France, 1 *sp.*

**23rd Drawer.**

CUCULLIA, *Och.*
verbasci, *L.*, Saxony, 6 *sp.*
scrophulariæ, *W. V.*, Saxony, 5 *sp.*
lychnitis, *Ramb.*, Central France, 10 *sp.*
thapsiphaga, *Tr.*, Sicily, 6 *sp.*
blattariæ, *Esp.*, Andalusia, 6 *sp.*
scrophularivora, *Ramb.*, Spain, 2 *sp.*
scrophulariphaga, *Ramb.*, Corsica, 4 *sp.*
scrophulariphila, *St.*, Andalusia, 1 *sp.*
prenanthis, *Bdv.*, Vienna, 6 *sp.*
asteris, *W. V.*, Paris, 2 *sp.*
abrotani, *Ræs.*, Bavaria, 4 *sp.*
absinthii, *Lin.*, Saxony, 4 *sp.*
scopariæ, *Dorfm.*, Austria, 5 *sp.*
fuchsiana, *Ev.*, Russia, 2 *sp.* (1 *damaged.*)
gnaphalii, *Hb.*, Germany, 1 *sp.* (1 *damaged.*)
fraudatrix, *Ev.* (pontica, *Bdv.*), Russia, 6 *sp.* (1 *damaged.*)
unnamed, 1 *sp.* (*damaged.*)
santonici, *Hb.*, Russia, 3 *sp.*
tanaceti, *W. V.*, 5 *sp.*
balsamitæ, *Frey.*, South of Russia, 3 *sp.*
campanulæ, *Frey.*, Germany, 2 *sp.*
lactucæ, *Ræs.*, Austria, 5 *sp.*
lucifuga, *Ræs.*, Ratisbon, 5 *sp.*
umbratica, *L.*, Northern France, 2 *sp.*
chamomillæ, *W. V.*, Central France, 1 *sp.*
do., *var.* chrysanthemi, *Hb.*, Paris, 2 *sp.*
virgaureæ, *Bdv.*, South of Russia, 1 *sp.*
dracunculi, *Hb.*, South of Russia, 1 *sp.*
xeranthemi, *Bdv.*, Bavaria, 2 *sp.*
magnifica, *Frey.*, South of Russia, 2 *sp.*
artemisiæ, *W. V.*, Germany, 9 *sp.*
lactea, *Fab.*, Russia, 2 *sp.*
splendida, *Cr.*, Russia, 1 *sp.*
argentina, *Fab.*, Russia, 5 *sp.*

EURHIPIA, *Bdv.*
adulatrix, *Hb.*, France, 7 *sp.*

CALPE, *Tr.*
thalictri, *Bork.*, Pyrenees, 2 *sp.*

DIASTEMA, *Gn.*
virgo, *Tr.*, South of Russia, 2 *sp.* (*poor.*)

PLACODES, *Bdv.* (TELESILLA, *H.S.*)
amethystina, *Hb.*, Hungary, 6 *sp.*

PLUSIA,
asclepiadis, *W. V.*, France, 3 *sp.*
triplasia, *L.*, Berlin, 1 *sp.*
urticæ, *Hb.*, Berlin, 1 *sp.*
illustris, *Fab.*, Hungary, 8 *sp.*
modesta, *Hub.*, Paris, 4 *sp.*
consona, *F.*, Saxony, 9 *sp.*
eugenia, *Ev.*, South of Russia, 1 *sp.* (*poor.*)
concha, *F.*, Germany, 6 *sp.*
moneta, *F.*, Saxony, 7 *sp.*
deaurata, *Esp.*, Switzerland, 3 *sp.* (1 *damaged.*)
zosimi, *Hb.*, Russia, 3 *sp.*
chrysitis, *L.*, Vienna, 2 *sp.*
orichalcea, *F.*, Central France, 3 *sp.*
æmula, *W. V.*, Vienna, 1 *sp.*
festucæ, *L.*, Paris, 3 *sp.*
mya, *Hb.*, Switzerland, 3 *sp.*
daubei, *Bdv.*, Spain, 6 *sp.*
v.-aureum, *Gn.*, (interrogationis, *Esp.*), Austrian Alps, 2 *sp.*
chalcites, *Esp.*, Andalusia, 7 *sp.*
interrogationis, *L.*, Sweden, 2 *sp.*
gutta, *Gn.* (circumflexa, *W. V.*), Austria, 4 *sp.*
ni, *Hb.*, Andalusia, 4 *sp.*
circumscripta, *Tr.*, Sicily, 1 *sp.*
accentifera, *Lef.*, Spain, 5 *sp.*
microgramma, *Hb.*, Germany, 2 *sp.*
ain, *Schr.*, Saxony, 4 *sp.*
divergens, *F.*, Austrian Alps, 7 *sp.*
devergens, *Hb.*, Austrian Alps, 6 *sp.*

ANOPHIA, *Gn.*
leucomelas, *L.*, Saxony, 4 *sp.*
ramburii, *Clerck*, Andalusia, 2 *sp.*

ANARTA, *Och.*
melanopa, *Beck.*, Swiss Alps, 4 *sp.*
vidua, *Hb.*, Swiss Alps, 1 *sp.*
algida, *Lef.*, Polar Norway, 1 *sp.*
quieta, *Hb.*, Lapland, 2 *sp.*
melaleuca, *Thunb.*, Lapland, 1 *sp.*
schœnherri, *Zell.*, Lapland, 1 *sp.*
cordigera, *Seb.*, Switzerland, 2 *sp.*
myrtilli, *L.*, France, 4. *sp.*

HELIACA, *H.S.*
arbuti, *Fab.*, Saxony, 3 *sp.*

HELIODES, *Gn.*
rupicola, *W.V.*, Hungary, 3 *sp.*
OMIA, *Hb.*
cymbalariæ, *Hb.*, Switzerland, 3 *sp.*
ANTHŒCIA, *Bdv.* (HELIOTHIS, pars, *Stäud.*)
pulchra, *Ev.*, Russia, 2 *sp.*
cardui, *Esp.*, Vernet, 6 *sp.*
cognata, *Hb.*, Hungary, 8 *sp.*
HELIOTHIS, *Och.*
incarnata, *Frey*, Russia, 4 *sp.*
armigera, *Hb.*, Saxony, 3 *sp.* (1 *bad.*)
peltigera, *W.V.*, Caucasus, 2 *sp.*
dipsacea, *L.*, Germany, 2 *sp.*
maritima, *Grasl.*, France, 5 *sp.*
ononidis, *W.V.*, Vienna, 5 *sp.*
scutosa, *W.V.*, Ratisbon, 6 *sp.*
ÆDOPHRON, *Led.*
phlebophora, *Led.*, Turkey, 4 *sp.*
CHARICLEA, *Steph.*
taurica, *H.S.*, South of Russia, 2 *sp.*
delphinii, *Rœs*, Paris, 6 *sp.*
marginata, *Klëem*, Berlin, 4 *sp.*
purpurites, *Hb.*, Hungary, 6 *sp.*
XANTHODES, *Gn.*
graëllsii, *Feisth.*, Spain, 4 *sp.*
malvæ, *Esp.*, Cannes, 2 *sp.*

**24th Drawer.**

EUTERPIA, *Gn.*
laudeti, *Bdv.*, South of Russia, 3 *sp.*
ACONTIA, *Och.*
titania, *Esp.*, South of Russia, 2 *sp.*
solaris, *W.V.*, Bavaria, 4 *sp.*
albicollis, *Fab.*, Sicily, 2 *sp.*
luctuosa, *W.V.*, Europe, 2 *sp.*
LEPTOSIA, *Gn.* (THALPOCHARES, pars, *Stäud.*)
velox, *Hb.*, Southern France, 3 *sp.*
mendaculalis, *Tr.* (dardouini, *Bdv.*), Turkey, 2 *sp.*
THALPOCHARES, *Led.* (MICRA, *Gn.*, ANTHOPHILA, *Och.*)
candidana, *Fab.* (minuta, *Bdv.*), Corsica, 9 *sp.*
unnamed, Côté de Vendée, 1 *sp.*
elychrisi, *Ramb.*, Corsica, 1 *sp.*
unnamed, 1 *sp.*
THALPOCHARES—*continued.*
paula, *Hb.*, Germany, 5 *sp.*
ostrina, *Hb.*, 3 *sp.*
himmighoffeni, *Mill.*, 1 *sp.*
parva, *Hub., var.*, 3 *sp.*
purpurina, *W.V.*, South of Russia, 3 *sp.*
rosina, *Hb.*, South of Russia, 1 *sp.*
amœna, *Hb.*, Turkey, 7 *sp.*
hansa, *H.S.*, Caucasus, 3 *sp.*
paralella, *Ev.*, Russia, 2 *sp.*
pusilla, *Ev.*, Russia, 1 *sp.*
pura, *Hb.*, France, 1 *sp.*
unnamed, 1 *sp.*
pannonica, *Frey.* (kindermannii, *Bdv.*), Russia, 2 *sp.*
GLAPHYRA, *Gn.* (THALPOCHARES, pars, *Stäud.*)
cretula, *Frey*, Southern France, 3 *sp.* (1 *body gone.*)
glarea, *Bdv.*, Turkey, 4 *sp.*
MICROPHYSA, *Gn.* (THALPOCHARES, pars, *Stäud.*)
inamœna, *Hb.*, Austria, 3 *sp.*
suava, *Hb.*, Saxony, 5 *sp.*
jucunda, *Hb.*, Cettes les Bains, 2 *sp.*
communimacula, *Dup.*, Bavaria, 5 *sp.*
BANKIA, *Gn.* (ERASTRIA, pars, *Stäud.*)
argentula, *Esp.*, Paris, 4 *sp.*
HYDRELIA, *Gn.* (ERASTRIA, pars, *Stäud.*)
unca, *Lin.*, Berlin, 2 *sp.*
ERASTRIA, *Och.*
candidula, *W.V.*, Austria, 2 *sp.*
unnamed, 1 *sp.*
atratula, *W.V.*, Germany, 3 *sp.*
PHYLLOPHILA, *Gn.*
wimmeri, *Tr.*, Saxony, 2 *sp.*
PHOTHEDES, *Led.*
captiuncula, *Zell.*, Hungary, 2 *sp.*
MESOTROSTA, *Led.*
signalis, *Tr.*, Austria, 3 *sp.*
AGROPHILA, *Bdv.*
sulphurea, *Hb.* (sulphuralis, *L.*), Northern France, 2 *sp.*
HÆMEROSIA, *Bdv.*
renalis, *Hb.* (renifera, *Bdv.*), France, 4 *sp.*

METOPONIA, *Dup.*
flavida, *W.V.*, Greece, 4 *sp.*
vespertina, *Tr. Hb.* (matutinalis, *Ramb.*), Sicily, 4 *sp.*
MEGALODES, *Gn.*
eximia, *H.S.*, Turkey, 2 *sp.*
METOPTRIA, *Gn.*
monogramma, *Hb.*, South of France, 5 *sp.*
EUCLIDIA, *Och.*
triquetra, *W.V.*, Italy, 7 *sp.*
munita, *Hb.*, South of Russia, 1 *sp.*
CEROCALA, *Bdv.*
scapulosa, *Hb.*, Andalusia, 7 *sp.* (3 *m.* 4 *f.*)
ALAMIS, *Gn.* (PERICYMA, *H.S.*)
albidens, *H.S.*, South of Russia, 1 *sp.*
ZETHES, *Ramb.*
insularis, *Ramb.*, Greece, 3 *sp.*
ACANTHOLIPES, *Led.*
regularis, *Hb.*, South of Russia, 1 *sp.*
LEUCANITIS, *Gn.*
stolida, *Fab.* (cingularis, *H.*), Sicily, 1 *sp.*
caucasica, *Kol.*, Armenia? 1 *sp.*.
GRAMMODES, *Gn.*
geometrica, *Rossi*, Spain, 4 *sp.*
OPHIUSA, *Och.* (GRAMMODES, pars, *Stäud.*)
algira, *L.*, Andalusia, 4 *sp.*
PSEUDOPHIA, *Gn.*
illunaris, *Hb.*, Greece, 3 *sp.*
OPHIODES, *Gn.* (PSEUDOPHIA, pars, *Stäud.*)
lunaris, *W.V.*, Berlin, 4 *sp.*
tirrhæa, *Cr.*, Spain, 4 *sp.*

CATEPHIA, *Och.*
alchymista, *Fab.*, Austria, 4 *sp.*
CATOCALA, *Och.*
eutychea, *Tr.*, Greece, 1 *sp.*
separata, *Frey.*, Greece, 1 *sp.*
nymphagoga, *Esp.*, Andalusia, 4 *sp.*
diversa, *Hub.* (callinympha, *Bdv.*), Sicily, 3 *sp.*
hymenea, *W.V.*, Vienna, 5 *sp.*
nymphæa, *Esp.*, Spain, 2 *sp.*
paranympha, *L.*, Switzerland, 4 *sp.*
conversa, *Esp.*, Greece, 1 *sp.*
do., *var.* agamos, *Hb.*, Austria, 5 *sp.*
neonympha, *Hb.*, South of Russia, 3 *sp.*
pacta, *Linn.*, Sweden, 3 *sp.*
lupina, *H.S.*, Caucasus, 3 *sp.*
fraxini, *L.*, France, 2 *sp.*
elocata, *Esp.*, Italy, 2 *sp.*
dilecta, *Bork.*, Vernet, 6 *sp.*
sponsa, *L.*, Ratisbon, 2 *sp.*
conjuncta, *Esp.*, Germany, 4 *sp.*
nupta, *L.*, *var.* concubina, *Bork.*, Ratisbon, 1 *sp.*
promissa, *Rœs.*, Ratisbon, 2 *sp.*
electa, *Rœs.*, Northern France, 5 *sp.*
optata, *God.*, Andalusia, 4 *sp.*
puerpera, *Tr.* (pellex, *Hb.*), 4 *sp.*
SPINTHEROPS, *Bdv.*
spectrum, *Esp.*, Southern France 4 *sp.*
phantasma, *Ev.*, Caucasus, 1 *sp.*
cataphanes, *Hb.*, Spain, 2 sp.
dilucida, *Hb.*, Vernet, 3 *sp.*
ligaminosa, *Led.*, Caucasus, 1 *sp* *(slightly damaged.)*
EXOPHILA, *Gn.*
rectangularis, *H.G.*, Italy, 4 *sp.*
ECCRITA, *Led.*
ludicra, *Hb.*, Austria, 4 *sp.*

## SECOND CABINET.

### 1st Drawer.

TOXOCAMPA, *Gn.*
viciæ, *Hb.*, South of Russia, 2 *sp.* (1 *body gone.*)
craccæ, *W.V.*, Saxony, 5 *sp.*
pastinum, *Tr.*, Vienna, 4 *sp.*
lusoria, *L.*, 5 *sp.*
limosa, *Tr.*, Hungary, 2 *sp.*
BOLETOBIA, *Bdv.*
fuliginaria, *L.* (carbonaria, *W.V.*), Berlin, 2 *sp.*

BREPHOS, *Och.*
puella, *Esp.*, Germany, 6 *sp.* (3 *m.* 3 *f.*)
notha, *Hb.*, Austria, 2 *sp.*

GEOMETRÆ.

PSEUDOTERPNA, *H.S.*
corsicaria, *Ramb.*, Corsica, 3 *sp.*
coronillaria, *Hb.*, Southern France, 4 *sp.* (3 *m.* 1 *f.*)

THETIDIA, *Bdv.*
plusiaria, *Bdv.*, Spain, 2 *sp.*
EUCROSTIS, *Hb.*
indigeneria, *Vill.*, Southern France, 4 *sp.*
NEMORIA, *Hb.*
viridata, *L.*, Corsica, 3 *sp.*
chloraria, *Hb.*, Berlin, 2 *sp.*
do., Turkey, 1 *sp.*
pulmentaria, *Gn.* (cloraria, *Dup.*), 6 *sp.*
aureolaria, *W. V.*, Cannes, 6 *sp.*
HEMITHEA, *Dup.* (THALERIA, *Hb.*)
bupleuraria, *W. V.*, Central France, 2 *sp.* (1 *m.* 1 *f.*)
IODIS, *Hb.*
putataria, *L.*, Hungary, 5 *sp.*
ACIDALIA, *Tr.*
sericeata, *Hb.*, Southern France, 7 *sp.*
filacearia, *H.S.*, Caucasus, 5 *sp.*
flaveolaria, *Hb.*, French Alps, 6 *sp.*
luteolaria, *Const.*, Vernet, 3 *sp.*
aureolaria, *W. V.*, Paris, 5 *sp.*
do., Vernet, 1 *r.*
perochraria, *F. R.* (ochrearia, *Dup.*), Germany, 5 *sp.*
ochrata, *Scop.*, Austria, 8 *sp.*
do., Sicily, 1 *sp.*
rufaria, *Hb.*, Austria, 3 *sp.*
unnamed, 2 *sp.*
robiginata, *Stdgr.*, Spain, 2 *sp.*
rubricata, *W. V.*, Paris, 5 *sp.*
moniliata, *W. V.*, Saxony, 6 *sp.*
antiquaria, *H.S.*, 2 *sp.*
sylvestraria, *Dup.*, Central France, 6 *sp.*
strigaria, *Hb.*, Hungary, 6 *sp.*
immutata, *L.* (cœspitaria, *Bdv.*), Central France, 6 *sp.*
caricaria, *H.S.*, Southern France, 1 *sp.*
subsericeata, *Haw.*, France, 4 *sp.*
do., *var.* oloraria, *Ræs.*, Bavaria and Vienna, 4 *sp.* (1 *body gone.*)
beckeraria, *Led.*, Caucasus, 3 *sp.*
mutata, *Tr.*, Ratisbon, 6 *sp.*
strigilaria, *W. V.* (prataria, *Bdv.*), Berlin, 1 *sp.*
remutaria, *Hb.*, France, 4 *sp.*
umbelaria, *Hb.*, Switzerland, 5 *sp.*
suffusata, *Tr.*, 2 *sp.*
unnamed, Vienna, 6 *sp.*
inornata, *Haw.*, 2 *sp.*
agrostemmata, *Gn.*, Bavaria, 2 *sp.*

ACIDALIA—*continued.*
convallaria, Prussia, 7 *sp.*
nemoraria, *Hb.*, Switzerland, 5 *sp.*
submutata, *Tr.*, Andalusia, 6 *sp.*
promutata, *Gn.* (immutata, *W. V.*), Andalusia, 8 *sp.*
confinaria, *H.S.*, Greece, 3 *sp.*
do., *var.* ?, Corsica, 1 *sp.*
degeneraria, *Hb.*, Saxony, 2 *sp.*
consanguinaria, *Ld.*, Turkey, 2 *sp.*
unnamed, 2 *sp.*
immistaria, *H.S.*, Caucasus, 1 *sp.* (*poor.*)
byssinata, *Tr.*, Saxony, 7 *sp.*
unnamed, 2 *sp.*
circuitaria, *Hb.*, Corsica, 3 *sp.*
herbariata, *F.* (microsaria, *Bdv.*), Corsica, 4 *sp.*
interjectaria, *Bdv.*, France, 5 *sp.*
osseata, *W. V.*, Germany, 5 *sp.*
sodaliaria, *H.S.*, 2 *sp.*
obsoletaria, *Rb.*, Corsica, 6 *sp.*
holosericata, *Dup.*, Vienna, 3 *sp.*
pecharia, *Stdgr.*, Hungary, 2 *sp.*
aquitanaria, *Dup.*, Vernet, 6 *sp.*
fologneria, *Staudgr.*, Landes, 1 *sp.*
rusticata, *W. V.*, Saxony, 6 *sp.*
filicata, *Hb.*, Southern France, 8 *sp.*
calvaria, *Lah.*, Sardinia, 1 *sp.*
emutaria, *Hb.*, Central France, 1 *sp.*
litigiosaria, *Bdv.*, Sardinia, 2 *sp.*
straminata, *Tr.*, Vernet, 4 *sp.* (1 *body gone.*)
incarnaria, *Hub.*, Northern France, 2 *sp.*
canteneraria, *Bdv.*, Andalusia, 3 *sp.*
spuriaria, *Christ.*, Polar Norway, 3 *sp.*
ostrinaria, *Hb.*, Andalusia, 2 *sp.* (1 *body gone.*)
nexata, *Hub.*, Andalusia, 1 *sp.*
vittaria, *H.*, Spain, 1 *sp.*
perpusillaria, *Ev.*, Russia, 2 *sp.*

**2nd Drawer.**

pygmæaria, *Hb.* (parvularia, *Bdv.*), Italy, 4 *sp.*
mediaria, *Hb.*, France, 1 *sp.*
bisetata, *Bork.*, Vienna, 1 *sp.* (*bad.*)
ornata, *Scop.*, Vienna, 2 *sp.*
decorata, *W. V.*, Berlin, 6 *sp.*
imitaria, *Hb.*, Cannes, 1 *sp.* (*body gone.*)
unnamed, 4 *sp.* (1 *body gone.*)
unnamed, 3 *sp.*

EPHYRA, *Dup.* (ZONOSOMA, *Led.*)
pupillaria, *Hb.*, Andalusia, 10 *sp.*
do., *var.* nolaria, *Hb.*, Turkey, 1 *sp.*
omicronaria, *W. V.*, Paris, 1 *sp.*
punctaria, *L.*, Northern France, 1 *sp.*
pendularia, *L.*, Berlin, 1 *sp.*
orbicularia, *Hb.*, 2 *sp.* (1 *body gone.*)
albiocellaria, *Hb.*, 2 *sp.*

TIMANDRA, *Dup.* (OCHODONTIA, *Led.*)
sareptaria, *Ev.*, South of Russia, 4 *sp.*

PELLONIA, *Dup.*
vibicaria, *L.*, Ratisbon, 5 *sp.*
tabidaria, *Zell.*, Caucasus, 2 *sp.*
sicanaria, *Zell.*, Andalusia, 2 *sp.*
calabraria, *Zell.*, Eastern Pyrenees, 6 *sp.*

RHYPARIA, *Hb.*
melanaria, *L.*, Bavaria, 6 *sp.* (3 *m.* 3 *f.*)

ABRAXAS, *Leach.*
ulmata, *Fab.*, Berlin, 2 *sp.*
pantaria, *Linn.*, Eastern Pyrenees, 5 *sp.*

ORTHOSTIXIS, *Hb.*
lætata, *F.* (cribraria, *Hb.*), Austria, 1 *sp.*

CORYCIA, *Dup.* (BAPTA, *Steph.*)
temerata, *W. V.*, Bavaria, 2 *sp.*
taminata, *W. V.*, Bavaria, 2 *sp.*

ALEUCIS, *Gn.*
pictaria, *Curt.*, Saxony, 2 *sp.*

STEGANIA, *Gn.*
dilectaria, *Hub.*, Hungary, 1 *sp.*
permutaria, *Hb.*, Saxony, 1 *sp.*

NUMERIA, *Dup.*
pulveraria, *Linn.*, *Hb.*, Paris, 3 *sp.* (2 *m.* 1 *f.*)
capreolaria, *W. V.*, Switzerland, 4 *sp.* (2 *m.* 2 *f.*)

ELLOPIA, *Tr.*
prasinaria, *W. V.*, Central France, 2 *sp.* (1 *m.* 1 *f.*)
pinicolaria, *Bell.*, Corsica, 1 *m.*

METROCAMPA, *Latr.*
honoraria, *W. V.*, Paris, 6 *sp.* (5 *m.* 1 *f.*)

ENNOMOS, *Tr.* (EUGONIA, *Hb.*)
angularia, *W. V.*, Berlin, 1 *m.*
alniara, *L.*, Paris, 4 *sp.* (2 *m.* 2 *f.*)
erosaria, *W. V.*, Germany, 4 *sp.* (2 *m.* 2 *f.*)

ENNOMOS—*continued.*
quercaria, *H.*, Bavaria, 4 *sp.* (1 *m.* 3 *f.*)

SELENIA, *Hb.*
lunaria, *W. V.*, Bavaria, 2 *sp.* (1 *m.* 1 *f.*, 1 *dilapidated.*)
do., *var.* delunaria, *Hb.*, Bavaria, 2 *sp.* (1 *m.* 1 *f.*)
illustraria, *Hb.*, Ratisbon, 2 *sp.* (1 *m.* 1 *f.*)

THERAPIS, *Hb.*
euonymaria, *W. V.*, Hungary, 3 *sp.* (2 *damaged.*)

HIMERA, *Dup.*
pennaria, *L.*, Ratisbon, 2 *sp.* (1 *m.* 1 *f.*)

CROCALLIS, *Tr.*
tusciaria, *Sc.* (extimaria, *Hb.*), Austria, 4 *sp.* (2 *m.* 2 *f.*)
cardoinaria, *Dz.* (*gen.* Odontoptera, *Steph.*), Eastern Pyrenees, 4 *sp.* (2 *m.* 2 *f.*, 1 *damaged.*)

ANGERONA, *Dup.*
prunaria, *Lin.*, *var.* sordidata, *Gn.* (corylaria, *Esp.*), Vienna, 4 *sp.* (2 *m.* 2 *f.*)

URAPTERYX, *Leach.*

EPIONE, *Dup.*
advenaria, *Hb.*, Berlin, 3 *sp.*

HYPOPLECTIS, *Hb.*
adspersaria, *F.*, Austria, 4 *sp.* (3 *m.* 1 *f.*)

CAUSTOLOMA, *Led.*
flavicaria, *W. V.*, Russia, 4 *sp.*

EILICRINIA, *Hb.*
trinotata, *Metzn*, Turkey, 1 *sp.*
anicularia, *Ev.*, South of Russia, 1 *sp.*
cordiaria, *Hb.*, *var.* animata, *F. R.*, 1 *sp.*

MACARIA, *Cust.*
æstimaria, *Hb.*, South France, 8 *sp.*
signaria, *Hb.*, Germany, 2 *sp.*
alternata, *W. V.*, Bavaria, 4 *sp.*
notata, *L.*, Germany, 2 *sp.*

PLOSERIA, *Bdv.*
diversata, *W. V.*, Switzerland, 3 *sp.*

CHEMERINA, *Bdv.*
caliginearia, *Ramb.* (ramburaria, *Bdv.*), Sardinia, 2 *m.*
unnamed, 2 *sp.*

ACALIA, *Gn.* (LIGNYOPTERA, *Led.*)
fumidaria, *Hb.*, Swiss Alps, 5 *sp.*
HYBERNIA, *Latr.*
defoliaria, *Hb.*, Vienna, 3 *m.*
ankeraria, *Stgr.*, 1 *sp.*
bajaria, *Klëem*, Austria, 5 *sp.* (3 *m.* 2 *f.*)
unnamed, 2 *sp.*, near Ligia.
ANISOPTERYX, *Steph.*
aceraria, *W. V.*, Saxony, 7 *sp.* (5 *m.* 2 *f.*)

**3rd Drawer.**

CHONDROSOMA, *Anker.*
fiduciaria, *Ank.*, Hungary, 3 *sp.*
NYSSIA, *Dup.* (BISTON, Leach.)
pomonaria, *Hb.*, Austria, 3 *m.*
zonaria, *W. V.*, Austria, 2 *sp.* (1 *m.* 1 *f.*)
AMPHIDASIS, *Tr.*
betularia, *L.*, *Hb.*, Berlin, 2 *sp.* (1 *m.* 1 *f.*)
HEMEROPHILA, *Steph.*
nycthemeraria, *Hb.*, France, 3 *sp.* (2 *m.* 1 *f.*)
abruptaria, *Thnb.*, Cannes, 2 *sp.* (1 *m.* 1 *f.*)
NYCHIODES, *Led.*
lividaria, *Hb.*, Saxony, 6 *sp.* (2 *m.* 4 *f.*)
SYNOPSIA, *Hb.*
sociaria, *Hb.*, Hungary, 4 *sp.* (2 *m.* 2 *f.*)
CALAMODES, *Gn.*
occitanaria, *Dup.*, Vernet, 7 *sp.* (4 *m.* 3 *f.*)
BOARMIA, *Tr.*
secundaria, *W. V.*, Germany, 5 *sp.* (4 *m.* 1 *f.*)
rhomboidaria, *Klëem*, Saxony, 2 *sp.* (1 *m.* 1 *f.*)
roboraria, *Hb.*, Austria, Vienna, 4 *sp.* (3 *m.* 1 *f.*)
do., Corsica, 3 *sp.* (2 *m.* 1 *f.*)
ilicaria, *Hb.*, France, 1 *m.*
perversaria, *Bdv.*, Switzerland, 5 *sp.* (2 *m.* 3 *f.*)
crepuscularia, *W. V.*, Paris, 3 *sp.*
do., Ratisbon, 2 *sp.*
do., Vienna, 2 *sp.*
TEPHRONIA, *Hb.*
cineraria, *W. V.*, Germany, 5 *sp.*
corticaria, *W. V.*, Saxony, 2 *sp.*
GNOPHOS, *Tr.*
ambiguaria, *Dup.*, Digne, 1 *sp.*
dilucidaria, *W. V.*, Austria, 6 *sp.* (5 *m.* 1 *f.*)
mendicaria, *H. S.*, Austria, 4 *sp.* (3 *m.* 1 *f.*)
serotinaria, *W. V.*, Switzerland, 2 *sp.* (1 *m.* 1 *f.*)
do., French Alps, 1 *m.*
serraria, *Bdv.*, Corsica, 4 *sp.*
obscurata, *W. V.*, Corsica, 2 *sp.*
do., Northern France, 3 *sp.*
glaucinaria, *Hb.*, Switzerland, 2 *sp.*
do., Piedmont, 5 *sp.*
supinaria, *Led.*, Austrian Alps, 1 *sp.* (*bad specimen*).
respersaria, *Hb.*, Spain, 4 *sp.* (1 *damaged.*)
pullata, *W. V.*, Swiss Alps, 1 *sp.*
furvata, *Klëem*, Switzerland, 4 *sp.*
mucidaria, *Hb.*, Southern France, 1 *sp.*
unnamed, Spain, 3 *sp.*
variegata, *Dup.*, Corsica, 3 *sp.*
andereggaria, *Lah.*, Switzerland, 1 *m.*
spurcaria, *Lah.*, (alticolaria, *Mann.*), Riffel, 2 *sp.*
operaria, *Hb.*, Hungary, 1 *m.*
obfuscaria, *W. V.*, French Alps, 5 *sp.*
RHOPTRIA, *Gn.* (GNOPHOS, pars, *Stäud.*)
asperaria, *Hb.* (collaria, *H. S.*), Greece, 6 *sp.*
LIODES, *Gn.* (GNOPHOS, pars, *Stäud.*)
tibiaria, *Ramb.* (fuscaria, *Bdv.*), France, 3 *sp.*
DASYDIA, *Gn.*
torvaria, *Hb.*, Swiss Alps, 6 *m.*
PSODOS, *Tr.*
alpinata, *Scop.* (equestrata, *F.*), Switzerland, 4 *sp.*
trepidaria, *Hb.*, Swiss Alps, 8 *sp.*
chaonaria, *Fr.*, Swiss Alps, 4 *sp.*
horridaria, *W. V.*, Austrian Alps, 3 *sp.*
PYGMÆNA, *Bdv.*
venetaria, Zermatt, 6 *sp.* (5 *m.* 1 *f.* *the latter very minute.*)
EGEA, *Dup.* (EREMIA, *H. S.*)
culminaria, *Ev.*, Russia, 2 *m.*

FIDONIA, *Tr.*
cebraria, *Hb.* (zebraria, *Dup.*), Saxony, 7 *sp.*
carbonaria, *L.* (picearia, *H.G.*), Sweden, 1 *sp.*
concordaria, *Hb.*, Paris, 7 *sp.* (5 *m.* 2 *f.*)
roraria, *F.*, Bavaria, 3 *sp.* (1 *m.* 2 *f.*) (1 *damagea*).
conspicuata, *W.V.*, North. France, 3 *sp.* (2 *m. and* 1 *f., and* 1 *larva.*)
do., *var.*, Piedmont, 2 *sp.*

**4th Drawer.**

ARTHROOLOPHA, *Led*
chrysitaria, *Hb.*, Sicily, 6 *sp.* (4 *m.* 2 *f.*)
pennigeraria, *Hb.*, Spain, 4 *m.*

EURRANTHIS, *Hub.*
plumistaria, *Vill.*, Bavaria, 10 *sp.* (6 *m.* 4 *f.*)
do., Spain, 2 *sp.* (1 *m.* 1 *f.*)

EMATURGA, *Led.*
atomaria, *L.*, Vienna, 1 *sp.*

BUPALUS, *Leach.*
piniaria, *L.* Ratisbon, 3 *sp.* (1 *m.* 2 *f.*)

SELIDOSEMA, *Led.*
tæniolaria, *Hb.*, Central France, 7 *sp.* (4 *m.* 3 *f.*)
plumaria, *W.V.*, 2 *m.*

THAMNONOMA, *Led.* (HALIA, *Dup.*)
vincularia, *Hb.*, Eastern Pyrenees, 2 *sp.*
contaminaria, *Hb.*, Bavaria, 1 *sp.*
pinetaria, *Hb.* (quinquaria, *D.*), (*Gen.* Halia, *Dup.*), Ratisbon, 2 *sp.*

DIASTICTIS, *Hub.*
artesiaria, *W.V.*, Vienna, 5 *sp.*

PHASIANE, *Dup.*
partitaria, *Hb.*, Central France, 2 *sp.* (1 *body gone.*)
peltaria, *Dup.*, Southern France, 7 *sp.* (1 *very dilapidated*).

STRENIA, *Dup.* (PHASIANE, pars, *Stäud.*)
glarearia, *W.V.*, Paris, 4 *sp.*
immorata, *L.*, Berlin, 7 *sp.**
tessellaria, *Bdv.*, Italy, 5 *sp.**
clathrata, *L.*, Corsica, 6 *sp.*

* The species immorata and tessellaria are classed by Stäudinger under the genus ACIDALIA.

EUBOLIA, *Bdv.*
arenacearia, *W.V.*, Austria, 3 *sp.*
unnamed, 4 *sp.*
murinaria, *W.V.*, Central France, 7 *sp.*
unnamed, 1 *sp.*
gazellaria, *Koll.*, 2 *sp.*
assimilaria, *Ramb.*, Corsica, 4 *sp.* (3 *m.* 1 *f.*)

PSAMOTODES, *Gn.* (EUBOLIA, *Bd.*, pars, *Stäud.*)
catalaunaria, *Gn.*, Corsica, 2 *sp.*

SCODIONA, *Bdv.*
lentiscaria, *Donz.*, Eastern Pyrenees, 1 *m.*
conspersaria, *Dup.*, France, 3 *sp.* (2 *m.* 1 *f.*)
emucidaria, *Dup.*, Vernet, 4 *sp.* (2 *m.* 2 *f.*)
favillacearia, *Hb.*, North of France, 1 *m.*
belgiaria, *Hb.*, Southern France, 4 *sp.* (3 *m.* 1 *f.*, 1 *m. imperfect.*)
do., England, 2 *sp.* (1 *m.* 1 *f.*)

CLEOGENE, *Dup.*
peletieraria, *Dup.*, Austrian Alps, 2 *sp.* (1 *m.* 1 *f.*)
illibaria, *W.V.*, Caucasus, 2 *sp.* (1 *m.* 1 *f.*)
lutearia, *Fab.* (tinctaria, *H.*), Eastern Pyrenees, 6 *sp.* (3 *m.* 3 *f.*)

SCORIA, *Steph.*
dealbata, *L.*, Germany, 1 *sp.*

ASPILATES, *Tr.*
citraria, *Hb.*, Paris, 5 *sp.* (2 *m.* 3 *f.*)
gilvaria, *W.V.*, Northern France, 6 *sp.* (4 *m.* 2 *f.*)
formosaria, *Ev.* (gloriosaria, *Bdv.*) Russia, 1 *sp.*
mundataria, *Cr.*, South of Russia, 5 *sp.* (3 *m.* 2 *f.*)

EUSARCA, *H.S.*
jacularia, *Hb.*, South of Russia, 3 *m.*
badiaria, *Frey*, Caucasus, 1 *f.*

LIGIA, *Dup.*
jourdanaria, *Vill.*, Corsica, 5 *sp.* (4 *m.* 1 *f.*)
opacaria, *Hb.*, Corsica, 6 *sp.* (3 *m.* 3 *f.*)
unnamed, 2 *sp.*

TIMIA, *Bdv.* (CIMELIA, *Led.*)
margarita, *Hb.*, Piedmont, 2 *m.*

HELIOTHEA, *Bdv.*
discoidaria, *Bdv.*, Andalusia, 1 *sp.*
APLASTA, *Hb.*
ononaria, *Luc.*, Vienna, 5 *sp.*
GYPSOCHROA, *Ev.*
renitidata, *Hb.*, Russia, 5 *sp.* (1 *damaged.*)
STERRHA, *Hb.*
sacraria, *L.*, Ratisbon, 6 *sp.*
rosearia, *Tr.*, Corfu, 1 *sp.*
anthophilaria, *Hb.*, South of Russia, 2 *sp.*
LYTHRIA, *Hb.*
plumularia, *Fr.*, Switzerland, 4 *sp.* (3 *m.* 1 *f.*)
sanguinaria, *Bdv.*, Andalusia, 4 *sp.* (3 *m.* 1 *f.*)
purpuraria, *L.*, Berlin, 14 *sp.* (11 *m.* 3 *f.*)

**5th Drawer.**

ORTHOLITHA, *Hb.* (EUBOLIA, *Doub.*)
cervinata, *W. V.*, Vernet, 2 *sp.*
mœniata, *Scop.*, Eastern Pyrenees, 4 *sp.*
malvata, *Rb.*, Hyeres, 8 *sp.*
do., Andalusia, 2 *sp.* (1 *damaged.*)
basochesiata, *Dup.*, Cannes, 5 *sp.*
vicinaria, *Dup.*, Valais, 1 *sp.*
bipunctaria, *W. V.*, Sardinia, 4 *sp.*
do., Switzerland, 2 *sp.*
peribolata, *Hb.*, Piedmont, 5 *sp.*
coarctata, *W. V.*, Alps, 3 *sp.*
MINOA, *Tr.*
euphorbiata, *W. V.*, *var.* monochroaria, *H.S.*, Piedmont, 2 *sp.*
SIONA, *Dup.*
decussata, *W. V.*, 4 *sp.*
do., *var.* fortificata, *Tr.*, Austria, 1 *sp.*
exalbata, *Hb.*, South of Russia, 1 *sp.*
LITHOSTEGE, *Hb.*
griseata, *W. V.*, South of Russia, 4 *sp.*
nivearia, *W. V.*, France, 7 *sp.*
ANAITIS, *Dup.*
lithoxylata, *Hb.*, Corsica, 2 *sp.*
boisduvaliata, *Dup.*, Russia, 1 *sp.*
plagiata, *L.*, Sardinia, 2 *sp.* (1 *damaged.*)
præformata, *Hub.*, French Alps, 6 *sp.*
CARSIA, *Hb.* (ANAITIS, pars, *Stäud.*)
imbutata, *Hb.*, Norway, 2 *sp.*
paludata, *H.S.*, Lapland, 2 *sp.*
LOBOPHORA, *Curt.*
sertata, *Hb.* (appendicularia, *Bdv.*), Austria, 5 *sp.*, (1 *body gone.*)
lobulata, *Hb.*, Northern France, 2 *sp.*
polycommata, *W. V.*, Bavaria, 2 *sp.*
do., Northern France, 2 *sp.*
do., England, 2 *sp.*
sabinata, *Hb.*, Swiss Alps, 4 *sp.* (1 *body gone.*)
TRIPHOSA, *Steph.*
sabaudiata, *Dup.*, French Alps, 4 *sp.* (2 *in bad condition.*)
dubitata, *L.*, Corsica, 2 *sp.*
do., French Alps, 1 *sp.*
EUCOSMIA, *Steph.*
montivagata, *Dup.*, Zermatt, 2 *sp.* (1 *damaged*).
certata, *Hb.*, Eastern Pyrenees, 5 *sp.*
LYGRIS, *Hub.*
prunata, *L.*, Berlin, 1 *sp.*
populata, *Lin.*, French Alps, 1 *sp.*
pyropata, *Hb.*, South of Russia, 3 *sp.* (2 *slightly damaged.*)
roesseleraria, *Stäud*, Caucasus, 2 *sp.*
reticulata, *W. V.*, Saxony, 2 *sp.*
CIDARIA, *Tr.*
silaceata, *W. V.*, Ratisbon, 4 *sp.*
capitata, *H.S.*, Saxony, 6 *sp.*
picata, *Hb.*, Paris, 2 *sp.*
immanata, *Haw.*, French Alps, 2 *sp.*
immanata, *Haw.*, Central France, 2 *sp.* (1 *body gone.*)
russata, *W. V.*, Iceland, 3 *sp.*
PELURGA, *H.* (CIDARIA, pars, *Stäud.*)
comitata, *Lin.* (chenopodiata, *W. V.*), Central France, 2 *sp.*
OPORABIA, *Steph.* (CIDARIA, pars, *Stäud.*)
dilutata, *Hb.*, 1 *sp.* (*damaged.*)
autumnata, *Gn.*, France, 4 *sp.* (1 *damaged.*)
LARENTIA, *Tr.* (CIDARIA, pars, *Stäud.*)
rupestrata, *W. V.*, French Alps, 5 *sp.*
didymata, *L.* (alpestrata, *H.*), French Alps, 3 *sp.*
do., Cannes, 4 *sp.*

LARENTIA—*continued.*
multistrigaria, *Haw.*, Cannes, 2 *sp.* (1 *body gone.*)
polata, *Hb.*, Polar Norway, 1 *sp.*
frigidaria, *Gn.*, Polar Norway, 2 *sp.*
flavicincta, *Hb.*, Polar Norway, 4 *sp.*
do., Switzerland, 2 *sp.*
do., Pyrenees, 2 *sp.*
do., Alps, 2 *sp.*
cæsiata, *W.V.*, Pyrenees, 2 *sp.*
do., Alps, 2 *sp.*
do., Lapland, 2 *sp.*
cyanata, *Hb.*, Austrian Alps, 4 *sp.*
nobiliaria, *H.S.*, Austrian Alps, 1 *sp.*
tophaceata, *W.V.*, French Alps, 4 *sp.*
infidata, *Lah.*, Switzerland, 3 *sp.*
ablutaria, *Bdv.*, Corsica, 4 *sp.*
nebulata, *Tr.*, Austrian Alps, 2 *sp.*
saxicolata, *Led.*, Austria, 3 *sp.*
incursata, *Hb.*, Polar Norway, 5 *sp.* (1 *body mouldy.*)
disceptaria, *F.R.*, Austrian Alps, 2 *sp.*
kollariaria, *H.S.* (larentiaria, *Brandt*), French Alps, 2 *sp.* (1 *damaged.*)
frustata, *Tr.*, Austrian Alps, 4 *sp.*
aptata, *Hb.*, French Alps, 7 *sp.*
austriacaria, *H.S.*, Austrian Alps, 1 *sp.*
parallelaria, *Bork.* (vespertaria, *Hb.*), Austria, 2 *sp.*
aqueata, *Hb.* (lotaria, *Bdv.*), Corsica, 5 *sp.*
unnamed, Corsica, 2 *sp.*
incultaria, *H.S.*, Austrian Alps, 5 *sp.* (1 *worn.*)

EMMELESIA, *Steph.* (CIDARIA, pars, *Stäud.*)
turbata, *Hb.*, Swiss Alps, 4 *sp.* (2 *m.* 2 *f.*)
affinitata, *Steph.*, 2 *sp.* (*damaged.*)
alchemillata, *L.* (rivulata, *W.V.*), Ratisbon, 2 *sp.*
unnamed, 1 *sp.*
hydrata, *Tr.*, 6 *sp.*
minorata, *Tr.* (jucundaria, *Bdv.*), Vienna, 9 *sp.*
aquilaria, *H.S.*, Berlin, 2 *sp.*

THERA, *Steph.* (CIDARIA, pars, *Stäud.*)
variata, *W.V.*, Swiss Alps, 11 *sp.* (3 *fine varieties*).
do., Autun, 2 *sp.*
do., Paris, 2 *sp.*
do., Austrian Alps, 1 *sp.*
do., *var.* obeliscata, Autun, 2 *sp.*
juniperata, *L.*, Berlin, 2 *sp.*
firmatra, *Hb.*, Meseritz, 3 *sp.*

YPSIPETES, *Steph.* (CIDARIA, pars, *Stäud.*)
elutata, *Hb.*, Austrian Alps, 2 *sp.*
impluviata, *W.V.*, Bavaria, 2 *sp.*

**6th Drawer.**

MELANIPPE (CIDARIA, pars, *Stäud.*)
hastata, *Linn.*, *var.*, Swiss Alps, 2 *sp.* (1 *bad.*)
hastulata, *Gn.*, Lapland, 2 *sp.*
tristata, *L.*, Ratisbon, 5 *sp.*
luctuata, *Hb.* (tristata, *Hb.*), 4 *sp.*
do., Russia, 1 *sp.*
lugubrata, *Hb.* (luctuata, *W.V.*), Swiss Alps, 6 *sp.*
rivata, *Hb*, Saxony, 2 *sp.*
biriviata, *Wernb.*, Northern France, 2 *sp.*
molluginata, *Hb.*, Austrian Alps, 4 *sp.*
galiata, *W.V.*, Central France, 2 *sp.*
thulearia, *H.S.*, Iceland, 3 *sp.*
montanata, *Bkh.*, Pyrenees, 1 *sp.*
permixtaria, *H.S.*, Turkey, 2 *sp.*
haberhaueri, *Ld.* (*Gen.* Polythrena, *Gn.*), Caucasus, 2 *sp.*
berberata, *Schiff.*, Autun, 4 *sp.*

COREMIA, *Gn.* (CIDARIA, pars, *Stäud.*)
quadrifasciaria, *L.* (ligustrata, *W.V.*), Austria, 3 *sp.*
pomœriaria, *Ev.* (quadrifasciaria, *Tr.*), Bavaria, 4 *sp.*
ferrugata, *Hb.*, Russia, 5 *sp.*
do., *var.* spadicearia, *Bkh.*, Austrian Alps, 1 *sp.*
unidentaria, *Haw.*, Vienna, 6 *sp.*
ligularia, *Gn.*, Lapland, 4 *sp.*, (1 *damaged.*)

CAMPTOGRAMMA, *Steph.* (CIDARIA, pars, *Stäud.*)
bilineata, *L.*, Sicily, 2 *sp.*
do., Corsica, 3 *sp.*

CAMPTOGRAMMA—*continued.*
scripturata, *W. V.*, Vienna, 4 *sp.*
uniformata, *Bell*, Spain, 5 *sp.*
riguata, *Hb.*, Austria, 5 *sp.*

PHIBALAPTERYX, *Steph.* (CIDARIA, pars, *Stäud.*)
lapidata, *Hb.*, Russia, 3 *sp.* (1 *damaged.*)
aquata, *Hb.*, Hungary, 4 *sp.*
vitalbata, *W. V.*, Corsica, 4 *sp.*
corticata, *Tr.* (alutacearia, *Bdv.*), Turkey, 2 *sp.* (1 *body gone*).
polygrammata, *Bork.*, Southern France, 1 *sp.*

EUPISTERIA, *Bd.* (CIDARIA, pars, *Stäud.*)
heparata, *W. V.*, Northern France, 4 *sp.*

EUPITHECIA, *Cust.*
breviculata, *Donz.*, Central France, 1 *sp.*
silenicolata, *Mab.*, Corsica, 1 *sp.*
linariata, *W. V.*, Ratisbon, 1 *sp.*
do., *var.*, Germany, 4 *sp.*
do., *var.*, Austria, 1 *sp.*
extremata, *F.* (glaucomictata, *Led.*), Corsica, 3 *sp.*
succenturiata, *L.*, Bavaria, 2 *sp.*
subfulvata, *Haw.*, Bavaria, 2 *sp.*
subumbrata, *W. V.*, Bavaria, 4 *sp.*
impurata, *Hb.*, Germany, 9 *sp.*
graphata, *Tr.*, Hungary, 8 *sp.*
scriptaria, *H. S.*, Austrian Alps, 6 *sp.*
denticulata, *Tr.*, Hungary, 3 *sp.*
mayerata, *Mann.*, Vienna, 6 *sp.*
silenata, *Stdfs.*, Saxony, 6 *sp.*
riparia, *H. S.*, Italy, 2 *sp.*
plumbeolata, *Haw.* (begrandaria, *Bdv.*), Austria, 4 *sp.*
isogrammaria, *Tr.*, Austria, 3 *sp.*
tenuiata, *Hb.*, Ratisbon, 5 *sp.*
guinardiaria, *Bdv.*, Andalusia, 6 *sp.*
scopariata, *Ramb.*, Corsica, 2 *sp.*
innotata, *Hb.*, Bavaria, 8 *sp.*
hyperboreata, *St.*, Polar Norway, 2 *sp.*
altenaria, *Stgr.*, Polar Norway, 4 *sp.*
indigata, *Hb.*, Saxony, 2 *sp.*
libanotidata, *Schl.*, Switzerland, 3 *sp.*
constrictata, *Gn.*, Cannes, 4 *sp.*
arceuthata, *Frey*, Switzerland, 4 *sp.*
lariciata, *Frey*, Bavaria, 6 *sp.*

**7th Drawer.**

pseudolariciata, *Std.*, Switzerland, 5 *sp.*
pusillata, *W.*, Bavaria, 3 *sp.*
gemellata, *H. S.*, Corsica, 3 *sp.*
sobrinata, *Hb.*, Swiss Alps, 3 *sp.*
satyrata, *Hb.*, French Alps, 3 *sp.*
do., Lapland, 2 *sp.*
phœniceata, *Rb.*, Andalusia, 7 *sp.*
pumilata, *Hb.*, Cannes, 3 *sp.*
globulariata, *Mill.*, Cannes, 7 *sp.*
oxycedrata, *Ramb.*, Cannes, 4 *sp.*
rosmarinata, *Mill.*, Marseilles, 3 *sp.*
unnamed, 1 *sp.*
multiflorata, *Mill.* (tenebrosiaria, *H. S.*), Cannes, 5 *sp.*
cocciferata, *Mill.*, Montpellier, 1 *sp.*
expressaria, *H. S.*, Cannes, 3 *sp.*
merinata, *Gn.*, Cannes, 2 *sp.*
laquearia, *H. S.*, Dep. des Landes, 6 *sp.* (1 *body gone.*)
strobilata, *Hb.*, Germany, 4 *sp.* (1 *body gone.*)
togata, *Hb.*, Saxony, 1 *sp.*
assimilata, *Dbd.*, Vienna, 4 *sp.*
minutata, *Hb.*, Berlin, 4 *sp.*
absynthiata, *L.* Hanover, 2 *sp.*
campanulata, *Frey*, 2 *sp.*
pimpinellata, *Hb.*, Austria, 4 *sp.*
veretraria, *H. S.*, Switzerland, 3 *sp.*
austeraria, *H. S.*, Brussels, 1 *sp.*
dodoneata, *Gn.*, Berlin, 1 *sp.*
ultimaria, *Bdv.*, Spain, 2 *sp.*
actæata, *Wald.*, Bavaria, 3 *sp.*
argilleacearia, *H. S.*, Bavaria, 5 *sp.*
do., *var.*, 1 *sp.*
prolongata, *Zell.* (extensaria, *H. S.*), 2 *sp.*
achilleata, *Mab.*, Paris, 1 *sp.*
subnotata, *Hb.*, France, 3 *sp.*
coronata, *Hb.*, Vienna, 1 *sp.*
hospitata, *Tr.*, Bavaria, 2 *sp.*
inturbatia, *Frr.*, Vienna, 1 *sp.*
unnamed, 1 *sp.*
debiliata, *Hb.*, Austria, 9 *sp.*
alliaria, *Stdgr.*, Hungary, 2 *sp.* (1 *body gone.*)
unnamed, 2 *sp.*
peyerimhoffata, *Mill.*, 1 *sp.*
euphrasiata, *H. S.*, 1 *sp.*
unnamed, 1 *sp.*

# INDEX

## TO THE FAMILIES AND GENERA IN THE EUROPEAN COLLECTION.


| | PAGE |
|---|---|
| ABRAXAS | 27 |
| Acalia | 28 |
| Acantholipes | 25 |
| Acidalia | 26 |
| Acontia | 24 |
| Acosmetia | 21 |
| Acronycta | 17 |
| Ædophron | 24 |
| Aglia | 16 |
| Agrophila | 24 |
| Agrotis | 17 |
| Alamis | 25 |
| Aleucis | 27 |
| Ammoconia | 19 |
| Amphidasis | 28 |
| Amphipyra | 22 |
| Anaitis | 30 |
| Anarta | 23 |
| Anchocelis | 22 |
| Angerona | 27 |
| Anisopteryx | 28 |
| Anophia | 23 |
| Anthocharis | 2 |
| Anthœcia | 24 |
| Anthophila | 24 |
| Apamea | 20 |
| Apatura | 5 |
| Apaturidæ | 5 |
| Aplasta | 30 |
| Aplecta | 18 |
| Aporia | 1 |
| Aporophyla | 19 |
| Araschnia | 5 |
| Arctia | 13 |
| Arctiidæ | 13 |
| Argynnis | 6 |
| Argyrospila | 21 |
| Arsilonche | 17 |
| Arthroolopha | 29 |
| Asphalia | 17 |
| Aspilates | 29 |
| Asteroscopus | 16 |
| BANKIA | 24 |
| Bapta | 27 |
| Biston | 28 |
| Boarmia | 28 |
| Boletobia | 25 |
| Bombycidæ | 15 |
| Bombyx | 15 |
| Brephos | 25 |
| Brithys | 19 |
| Brotolomia | 21 |
| Bryophila | 17 |
| Bupalus | 29 |
| CALAMODES | 28 |
| Callimorpha | 13 |
| Calophasia | 22 |
| Calpe | 23 |
| Calymnia | 22 |
| Camptogramma | 32 |
| Caradrina | 21 |
| Carsia | 30 |
| Carterocephalus | 10 |
| Catephia | 25 |
| Catocala | 25 |
| Caustoloma | 27 |
| Celæna | 20 |
| Cerastis | 22 |
| Cerigo | 20 |
| Cerocala | 25 |
| Charæas | 19 |
| Charaxes | 5 |
| Chariclea | 24 |
| Chariptera | 20 |
| Chelonia | 13 |
| Chemerina | 28 |
| Chimæra | 14 |
| Chionobas | 7 |
| Chondrosoma | 28 |
| Chrysophanus | 3 |
| Cidaria | 30 |
| Cigarites | 3 |
| Cimelia | 30 |
| Cirrœdia | 22 |
| Cladocera | 19 |
| Cleogene | 29 |
| Cleophana | 22 |
| Clidia | 17 |
| Cloantha | 20 |
| Clostera | 17 |
| Cnethocampa | 15 |
| Cœnobia | 21 |
| Cœnonympha | 9 |
| Colias | 2 |

| | PAGE |
|---|---|
| Colocasia | 17 |
| Coremia | 32 |
| Corycia | 27 |
| Cosmia | 22 |
| Cossidæ | 13 |
| Cossus | 13 |
| Crocallis | 27 |
| Crymodes | 20 |
| Cucullia | 23 |
| Cyclopides | 10 |
| Cymatophora | 17 |
| Cymatophoridæ | 17 |
| Cyrebia | 18 |
| DANAIDÆ | 6 |
| Danais | 6 |
| Dasycampa | 22 |
| Dasychira | 15 |
| Dasydia | 28 |
| Deilephila | 10 |
| Deiopeia | 13 |
| Dianthœcia | 19 |
| Diastema | 23 |
| Diastictis | 29 |
| Dichonia | 20 |
| Dicranura | 16 |
| Diphtera | 17 |
| Doritis | 1 |
| Drepanulidæ | 16 |
| Drymonia | 17 |
| Drynobia | 17 |
| Dryobota | 20 |
| Dyschorista | 22 |
| ECCRITA | 25 |
| Egea | 29 |
| Eilicrinia | 27 |
| Ellopia | 27 |
| Ematurga | 29 |
| Emmelesia | 31 |
| Emydia | 13 |
| Endagria | 14 |
| Endromis | 16 |
| Ennomos | 27 |
| Eogena | 17 |
| Ephyrá | 27 |
| Epione | 27 |
| Episema | 19 |
| Epunda | 19 |
| Erastria | 24 |
| Erebia | 7 |
| Eremia | 29 |
| Eriopus | 20 |
| Erycinidæ | 4 |
| Eubolia | 29 |
| Euclidia | 25 |
| Eucosmia | 30 |
| Eucrostis | 26 |
| Eugonia | 27 |
| Euperia | 22 |
| Eupisteria | 32 |
| Eupithecia | 32 |
| Eurhipia | 23 |
| Eurranthis | 29 |
| Eusarca | 30 |
| Euterpia | 24 |
| Exophila | 25 |
| FIDONIA | 29 |
| Fumea | 15 |
| GEOMETRÆ | 26 |
| Glaphyra | 24 |
| Glottula | 19 |
| Gluphisia | 17 |
| Gnophos | 28 |
| Gonepteryx | 2 |
| Gonoptera | 22 |
| Gortyna | 21 |
| Grammodes | 25 |
| Gypsochroa | 30 |
| HABRYNTIS | 21 |
| Hadena | 20 |
| Hæmerosia | 24 |
| Halia | 29 |
| Harpyia | 16 |
| Hecatera | 19 |
| Heliaca | 23 |
| Heliodes | 24 |
| Heliophobus | 19 |
| Heliothea | 30 |
| Heliothis | 24 |
| Hemerophila | 28 |
| Hemithea | 26 |
| Hepialidæ | 13 |
| Hepialus | 13 |
| Hesperia | 9 |
| Hesperidæ | 9 |
| Heterocera | 10 |
| Heterogynidæ | 14 |
| Heterogynis | 14 |
| Himera | 27 |
| Hiptelia | 22 |
| Hiria | 18 |
| Hybernia | 28 |
| Hybocampa | 16 |
| Hydræcia | 21 |
| Hydrelia | 24 |
| Hydrilla | 21 |
| Hypoplectis | 27 |
| Hypopta | 14 |
| IODIS | 26 |
| JASPIDEA | 21 |
| LAELIA | 15 |
| Laphygma | 21 |
| Larentria | 31 |
| Laria | 15 |
| Lasiommata | 8 |
| Leiocampa | 16 |
| Leptosia | 24 |
| Leucania | 21 |
| Leucanitis | 25 |
| Leucophasia | 2 |
| Libythea | 5 |
| Libytheidæ | 5 |
| Ligia | 30 |
| Lignyoptera | 28 |
| Limenitis | 5 |

| | PAGE |
|---|---|
| Liodes | 28 |
| Liparidæ | 15 |
| Liparis | 15 |
| Lithocampa | 22 |
| Lithosia | 12 |
| Lithosidæ | 12 |
| Lithostyge | 30 |
| Lopophora | 30 |
| Lophopteryx | 16 |
| Luperina | 20 |
| Lycæna | 3 |
| Lycænidæ | 3 |
| Lygris | 30 |
| Lythria | 30 |
| MACARIA | 28 |
| Macroglossa | 10 |
| Mamestra | 19 |
| Mania | 21 |
| Megalodes | 25 |
| Megasoma | 16 |
| Melanagria | 6 |
| Melanippe | 31 |
| Melitæa | 5 |
| Mesogona | 22 |
| Mesotrosta | 24 |
| Metopoceras | 19 |
| Metoponia | 25 |
| Metoptria | 25 |
| Metrocampa | 27 |
| Miana | 20 |
| Micra | 24 |
| Microdonta | 16 |
| Microphysa | 24 |
| Minoa | 30 |
| Miselia | 20 |
| Mithymna | 21 |
| Mycteroplus | 21 |
| NACLIA | 12 |
| Nænia | 21 |
| Nemeobius | 4 |
| Nemeophila | 13 |
| Nemoria | 26 |
| Neptis | 5 |
| Neuria | 19 |
| Nisoniades | 9 |
| Noctua | 18 |
| Noctuæ | 17 |
| Nola | 12 |
| Nonagria | 21 |
| Notodonta | 16 |
| Notodontidæ | 16 |
| Nudaria | 12 |
| Numeria | 27 |
| Nychiodes | 28 |
| Nymphalidæ | 5 |
| Nymphalis | 5 |
| Nyssia | 28 |
| OCHODONTIA | 27 |
| Ocneria | 15 |
| Ocnogyna | 13 |
| Odonestis | 16 |
| Odontopera | 27 |
| Omia | 24 |
| Oncocnemis | 19 |
| Ophiodes | 25 |
| Ophiusa | 25 |
| Oporabia | 31 |
| Orgyia | 15 |
| Orrhodia | 22 |
| Ortholitha | 30 |
| Orthosia | 22 |
| Orthostixis | 27 |
| PACHETRA | 19 |
| Pamphila | 9 |
| Panthea | 17 |
| Papilio | 1 |
| Papilionidæ | 1 |
| Pararge | 8 |
| Parnassius | 1 |
| Pellonia | 27 |
| Pelurga | 31 |
| Pentophora | 15 |
| Pericyma | 25 |
| Perigea | 20 |
| Perigrapha | 22 |
| Phasiane | 29 |
| Phibalapteryx | 32 |
| Phlogophora | 21 |
| Phorocera | 19 |
| Phothedes | 24 |
| Phyllophila | 24 |
| Pieridæ | 1 |
| Pieris | 1 |
| Placodes | 23 |
| Plastenis | 22 |
| Platypteryx | 16 |
| Ploseria | 28 |
| Plusia | 23 |
| Polia | 19 |
| Polyphænis | 20 |
| Procris | 11 |
| Prodenia | 21 |
| Psamotodes | 29 |
| Pseudo bombycidae | 17 |
| Pseudophia | 25 |
| Pseudoterpna | 26 |
| Psilura | 15 |
| Psodos | 29 |
| Psyche | 14 |
| Psychidæ | 14 |
| Psychoides | 15 |
| Pterogon | 10 |
| Ptilodontis | 16 |
| Ptilophora | 17 |
| Pygæra | 17 |
| Pygmæna | 29 |
| Pyrgus | 9 |
| RHIZOGRAMMA | 20 |
| Rhodocera | 2 |
| Rhodoceridæ | 2 |
| Rhopalocera | 1 |
| Rhoptria | 28 |
| Rhyparia | 27 |
| SATURNIA | 16 |
| Satyridæ | 6 |
| Satyrus | 7 |

| | PAGE |
|---|---|
| Scodiona | 29 |
| Scoliopteryx | 22 |
| Scopelosoma | 22 |
| Scoria | 29 |
| Scotochrosta | 22 |
| Selenia | 27 |
| Selidosema | 29 |
| Senta | 21 |
| Sesamia | 21 |
| Sesia | 10 |
| Sesiidæ | 10 |
| Setina | 12 |
| Simyra | 17 |
| Siona | 30 |
| Smerinthus | 10 |
| Spatalia | 17 |
| Sphinges | 10 |
| Sphinx | 10 |
| Spilosoma | 13 |
| Spilothyrus | 9 |
| Spintherops | 25 |
| Stegania | 27 |
| Stephania | 21 |
| Sterrha | 30 |
| Strenia | 29 |
| Stilbia | 21 |
| Stygia | 14 |
| Synopsia | 28 |
| Syntomidæ | 12 |
| Syntomis | 12 |
| Syntomopus | 22 |
| Syrichthus | 9 |
| TÆNIOCAMPA | 22 |
| Tapinostola | 21 |
| Telesilla | 23 |
| Tephronia | 28 |
| Tethea | 22 |
| Thais | 1 |
| Thaleria | 26 |
| Thalpochares | 24 |
| Thamnonoma | 29 |
| Thanaos | 9 |
| Thecla | 3 |
| Thecophora | 20 |
| Thera | 31 |
| Therapis | 27 |
| Thestor | 3 |
| Thetidia | 26 |
| Thyrididæ | 11 |
| Thyris | 11 |
| Timandra | 27 |
| Timia | 30 |
| Toxocampa | 25 |
| Trachea | 21 |
| Trichosoma | 13 |
| Trigonophora | 21 |
| Triphæna | 18 |
| Triphosa | 30 |
| Triphysa | 9 |
| ULOCHLÆNA | 19 |
| Urapteryx | 27 |
| Uropus | 16 |
| VALERIA | 20 |
| Vanessa | 5 |
| XANTHIA | 22 |
| Xanthodes | 24 |
| Xylina | 22 |
| Xylomyges | 22 |
| Xylophasia | 20 |
| YPHTHIMA | 8 |
| Ypsipetes | 31 |
| ZEGRIS | 2 |
| Zethes | 25 |
| Zeuzeridæ | 13 |
| Zonosoma | 27 |
| Zygaena | 11 |
| Zygaenidæ | 11 |


BRADBURY, AGNEW, & CO., PRINTERS, WHITEFRIARS.

SOUTH KENSINGTON MUSEUM

# SCIENCE AND ART HANDBOOKS.

*Published for the Committee of Council on Education.*

---

**THE INDUSTRIAL ARTS; Historical Sketches.** With 242 Illustrations. Demy 8vo, *7s. 6d.*

1. **TEXTILE FABRICS.** By the Very Rev. DANIEL ROCK, D.D. With numerous Woodcuts. Large crown 8vo, *2s. 6d.*
2. **IVORIES: Ancient and Mediæval.** By WILLIAM MASKELL. With numerous Woodcuts. Large crown 8vo, *2s. 6d.*
3. **ANCIENT AND MODERN FURNITURE AND WOOD-WORK.** By JOHN HUNGERFORD POLLEN. With numerous Woodcuts. Large crown 8vo, *2s. 6d.*
4. **MAIOLICA.** By C. DRURY E. FORTNUM, F.S.A. With numerous Woodcuts. Large crown 8vo, *2s. 6d.*
5. **MUSICAL INSTRUMENTS.** By CARL ENGEL. With numerous Woodcuts. Large crown 8vo, *2s. 6d.*
6. **MANUAL OF DESIGN,** compiled from the Writings and Addresses of RICHARD REDGRAVE, R.A., Surveyor of Her Majesty's Pictures, late Inspector-General for Art, Science and Art Department. By GILBERT R. REDGRAVE. With woodcuts. Large crown 8vo, *2s. 6d.*
7. **PERSIAN ART.** By MAJOR R. MURDOCH SMITH, R.E. With Map and Woodcuts. Large crown 8vo, *1s. 6d.*

---

**HANDBOOK TO THE SPECIAL LOAN COLLECTION OF SCIENTIFIC APPARATUS.** Large crown 8vo, *3s.*

---

**FOOD: a Short Account of the Sources, Constituents, and Uses of Food;** intended chiefly as a Guide to the Food Collection in the Bethnal Green Museum. By A. H. CHURCH, M.A., Oxon, Professor of Chemistry in the Agricultural College, Cirencester. Large crown 8vo.

---

**ECONOMIC ENTOMOLOGY.** By ANDREW MURRAY, F.L.S. APTERA. With numerous Illustrations. Large crown 8vo.

---

**ANIMAL PRODUCTS.** By P. L. SIMMONDS, F.R.C.I., Editor of the *Journal of Applied Science.* MAMMALIA. With numerous Illustrations. Large crown 8vo.

---

**SCIENCE CONFERENCES DELIVERED AT THE SOUTH KENSINGTON MUSEUM.** 2 vols. crown 8vo.